

## Appendice 4

### Bibliografia degli studi inclusi nelle revisioni

#### References of the included studies

#### AIDS

#### AIDS

**Revisioni (4):** Handford 2011, Gandjour 2003, Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 22

**Anni di pubblicazione degli studi inclusi (range):** 1989-2008

#### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Aiken LH, Sloane DM, Lake ET, Sochalski J, Weber AL. Organization and outcomes of inpatient AIDS care. *Med Care* 1999; 37(8):760-72.
- Bennett CL, Curtis JR, Achenbach C et al. U.S. hospital care for HIV-infected persons and the role of public, private, and Veterans Administration hospitals. *J Acquir Immune Defic Syndr Hum Retroviro* 1996;13(5):416-21.
- Bennett CL, Garfinkle JB, Greenfield S et al. The relation between hospital experience and in-hospital mortality for patients with AIDS-related PCP. *JAMA* 1989;261(20):2975-9.
- Bennett CL, Adams J, Gertler P et al. Relation between hospital experience and in-hospital mortality for patients with AIDS-related Pneumocystis carinii pneumonia: experience from 3,126 cases in New York City in 1987. *J Acquir Immune Defic Syndr* 1992;5(9):856-64.
- Bennett CL, Horner RD, Weinstein RA et al. Racial differences in care among hospitalized patients with Pneumocystis carinii pneumonia in Chicago, New York, Los Angeles, Miami, and Raleigh-Durham. *Arch Intern Med* 1995;155(15):1586-92.
- Bennett CL, Ullman M, Dickinson GM, Horner RD, Feinglass J, Curtis JR. Patterns of care for HIV-related Pneumocystis carinii pneumonia in a university medical program: a case study. *Clin Perform Qual Health Care* 1996;4(4):186-9.
- Cunningham WE, Tisnado DM, Lui HH, Nakazono TT, Carlisle DM. The effect of hospital experience on mortality among patients hospitalized with acquired immunodeficiency syndrome in California. *Am J Med* 1999;107(2):137-43.
- Curtis JR, Ullman M, Collier AC, Krone MR, Edlin BR, Bennett CL. Variations in medical care for HIV-related Pneumocystis carinii pneumonia: a comparison of process and outcome at two hospitals. *Chest* 1997;112(2):398-405.
- Hellinger F. Practice makes perfect: a volume-outcome study of hospital patients with HIV disease. *J Acquir Immune Defic Syndr* 2008;47(2):226-33.
- Hogg RS, Raboud J, Bigham M et al. Relation between hospital HIV/AIDS caseload and mortality among persons with HIV/AIDS in Canada. *Clin Invest Med* 1998;21(1):27-32.
- Horner RD, Bennett CL, Rodriguez D et al. Relationship between procedures and health insurance for critically ill patients with Pneumocystis carinii pneumonia. *Am J Respir Crit Care Med* 1995;152(5 Pt 1):1435-42.
- Keitz SA, Box TL, Homan RK, Bartlett JA, Oddone EZ. Primary care for patients infected with human immunodeficiency virus: a randomized controlled trial. *J Gen Intern Med* 2001;16(9):573-82.
- Kitahata MM, Koepsell TD, Deyo RA, Maxwell CL, Dodge WT, Wagner EH. Physicians' experience with the acquired immunodeficiency syndrome as a factor in patients' survival. *N Engl J Med* 1996;334(11):701-6.
- Kitahata MM, Van Rompaey SE, Dillingham PW et al. Primary care delivery is associated with greater physician experience and improved survival among persons with AIDS. *J Gen Intern Med* 2003;18(2):95-103.
- Laine C, Markson LE, McKee LJ, Hauck WW, Fanning TR, Turner BJ. The relationship of clinic experience with advanced HIV and survival of women with AIDS. *AIDS* 1998;12(4):417-24.
- Landon BE, Wilson IB, Cohn SE et al. Physician specialization and antiretroviral therapy for HIV. *J Gen Intern Med* 2003;18(4):233-41.
- Landon BE, Wilson IB, McInnes K et al. Physician specialization and the quality of care for human immunodeficiency virus infection. *Arch Intern Med* 2005;165(10):1133-9.
- Schneider JA, Zhang Q, Auerbach A et al. Do hospitalists or physicians with greater inpatient HIV experience improve HIV care in the era of highly active antiretroviral therapy? Results from a multicenter trial of academic hospitalists. *Clin Infect Dis* 2008;46(7):1085-92.
- Stone VE, Seage GR 3rd, Hertz T, Epstein AM. The relation between hospital experience and mortality for patients with AIDS. *JAMA* 1992;268(19):2655-61.
- Strathdee SA, Palepu A, Cornelisse PG et al. Barriers to use of free antiretroviral therapy in injection drug users. *JAMA* 1998;280(6):547-9.
- Turner BJ, Ball JK. Variations in inpatient mortality for AIDS in a national sample of hospitals. *J Acquir Immune Defic Syndr* 1992; 5(10):978-87.
- Turner BJ, Markson L, Cocroft J, Cosler L, Hauck WW. Clinic HIV-focused features and prevention of Pneumocystis carinii pneumonia. *J Gen Intern Med* 1998;13(1):16-23.

#### ANEURISMA DELL'AORTA ADDOMINALE ROTTO E NON ROTTO

#### RUPTURED AND NONRUPTURED ABDOMINAL AORTIC ANEURYSM

**Revisioni (10):** Marlow 2010, Troeng 2008, Henebiens 2007, Holt 2007, Killeen 2007, Young 2007, Wilt 2006, Gandjour 2003, Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 56

**Anni di pubblicazione degli studi inclusi (range):** 1994-2007

#### Riferimenti bibliografici degli studi inclusi nelle revisioni

- AbuRahma AF, Boland J, Robinson P. Complications of carotid endarterectomy: the influence of case load. *South Med J* 1988; 81(6):711-5.
- Allareddy V, Allareddy V, Konety BR. Specificity of procedure volume and in-hospital mortality association. *Ann Surg* 2007; 246(1):135-9.

- Amundsen S, Skjaerven R, Trippestad A, Soreide O. Abdominal aortic aneurysms. Is there an association between surgical volume, surgical experience, hospital type and operative mortality? Members of the Norwegian Abdominal Aortic Aneurysm Trial. *Acta Chir Scand* 1990;156(4):323-7; discussion 327-8.
- Bayly PJ, Matthews JN, Dobson PM, Price ML, Thomas DG. In-hospital mortality from abdominal aortic surgery in Great Britain and Ireland: Vascular Anaesthesia Society audit. *Br J Surg* 2001;88(5):687-92.
- Birkmeyer JD, Dimick JB, Staiger DO. Operative mortality and procedure volume as predictors of subsequent hospital performance. *Ann Surg* 2006;243(3):411-7.
- Birkmeyer JD, Dimick JB. Potential benefits of the new Leapfrog standards: effect of process and outcomes measures. *Surgery* 2004;135(6):569-75.
- Birkmeyer JD, Siewers AE, Finlayson EV et al. Hospital volume and surgical mortality in the United States. *N Eng J Med* 2002; 346(15): 1128-37.
- Birkmeyer JD, Stukel TA, Siewers AE, Goodney PP, Wennberg DE, Lucas FL. Surgeon volume and operative mortality in the United States. *N Eng J Med* 2003;349(22):2117-27.
- Bush RL, Johnson ML, Collins TC et al. Open versus endovascular abdominal aortic aneurysm repair in VA hospitals. *J Am Coll Surg* 2006;202(4):577-87.
- Christian CK, Gustafson ML, Betensky RA, Daley J, Zinner MJ. The Leapfrog volume criteria may fall short in identifying high-quality surgical centers. *Ann Surg* 2003;238(4):447-55; discussion 455-7.
- Cronenwett JL, Birkmeyer JD. The Dartmouth Atlas of Vascular Health Care. *Cardiovasc Surg* 2000;8(6):409-10.
- Dardik A, Burleyson GP, Bowman H et al. Surgical repair of ruptured abdominal aortic aneurysms in the state of Maryland: factors influencing outcome among 527 recent cases. *J Vasc Surg* 1998; 28(3):413-20; discussion 420-1.
- Dardik A, Lin JW, Gordon TA, Williams GM, Perler BA. Results of elective abdominal aortic aneurysm repair in the 1990s: A population-based analysis of 2335 cases. *J Vasc Surg* 1999;30(6):985-95.
- Dimick JB, Cowan JA Jr, Stanley JC, Henke PK, Pronovost PJ, Upchurch GR Jr. Surgeon specialty and provider volumes are related to outcome of intact abdominal aortic aneurysm repair in the United States. *J Vasc Surg* 2003;38(4):739-44.
- Dimick JB, Pronovost PJ, Cowan JA, Aliawadi G, Upchurch GR Jr. The volume-outcome effect for abdominal aortic surgery: differences in case-mix or complications? *Arch Surg* 2002;137(7):828-32.
- Dimick JB, Pronovost PJ, Cowan JA Jr, Lipsett PA, Stanley JC, Upchurch GR Jr. Variation in postoperative complication rates after high-risk surgery in the United States. *Surgery* 2003b;134(4): 534-40; discussion 540-1.
- Dimick JB, Pronovost PJ, Cowan JA Jr, Wainess RM, Upchurch GR Jr. Should older patients be selectively referred to high-volume centers for abdominal aortic surgery? *Vascular* 2004;12(1):51-6.
- Dimick JB, Stanley JC, Axelrod DA et al. Variation in death rate after abdominal aortic aneurysmectomy in the United States: impact of hospital volume, gender, and age. *Ann Surg* 2002b;235(4):579-85.
- Dueck AD, Kucey DS, Johnston KW, Alter D, Laupacis A. Long-term survival and temporal trends in patient and surgeon factors after elective and ruptured abdominal aortic aneurysm surgery. *J Vasc Surg* 2004;39(6):1261-7.
- Eckstein HH, Bruckner T, Heider P et al. The relationship between volume and outcome following elective open repair of abdominal aortic aneurysms (AAA) in 131 German hospitals. *Eur J Vasc Endovasc Surg* 2007;34(3):260-6.
- Elixhauser A, Steiner C, Fraser I. Volume thresholds and hospital characteristics in the United States. *Health Aff (Millwood)* 2003;22(2):167-77.
- Goodney PP, Lucas FL, Birkmeyer JD. Should volume standards for cardiovascular surgery focus only on high-risk patients? *Circulation* 2003;107(3):384-7.
- Greco G, Egorova N, Anderson PL et al. Outcomes of endovascular treatment of ruptured abdominal aortic aneurysms. *J Vasc Surg* 2006;43(3):453-9.
- Hannan EL, Kilburn H Jr, O'Donnell JF et al. A longitudinal analysis of the relationship between in-hospital mortality in New York State and the volume of abdominal aortic aneurysm surgeries performed. *Health Serv Res* 1992;27(4):517-42.
- Hannan EL, O'Donnell JF, Kilburn H Jr, Bernard HR, Yazici A. Investigation of the relationship between volume and mortality for surgical procedures performed in New York State hospitals. *JAMA* 1989;262(4):503-10.
- Holt PJ, Poloniecki JD, Loftus IM, Michaels JA, Thompson MM. Epidemiological study of the relationship between volume and outcome after abdominal aortic aneurysm surgery in the UK from 2000 to 2005. *Br J Surg* 2007;94(4):441-8.
- Health and Social Care Information Centre. *Hospital Episode Statistics*. Disponibile all'indirizzo: <http://www.hesonline.nhs.uk> (Ultimo accesso: 25.01.2007).
- Huber TS, Seeger JM. Dartmouth Atlas of Vascular Health Care review: impact of hospital volume, surgeon volume, and training on outcome. *J Vasc Surg* 2001;34(4):751-6.
- Jibawi A, Hanafy M, Guy A. Is there a minimum caseload that achieves acceptable operative mortality in abdominal aortic aneurysm operations? *Eur J Vasc Endovasc Surg* 2006;32(3):273-6.
- Kantonen I, Lepantalo M, Salenius JP, Matzke S, Luther M, Ylonen K. Mortality in abdominal aortic aneurysm surgery – the effect of hospital volume, patient mix and surgeon's case load. *J Vasc Endovasc Surg* 1997;14(5):375-9.
- Katz DJ, Stanley JC, Zelenock GB. Operative mortality rates for intact and ruptured abdominal aortic aneurysm in Michigan: an eleven-year statewide experience. *J Vasc Surg* 1994;19(5):804-15; discussion 816-7.
- Kazmers A, Jacobs L, Perkins A, Lindenauer SM, Bates E. Abdominal aortic aneurysm repair in Veterans Affairs medical centers. *J Vasc Surg* 1996;23:191-200.
- Kelly JV, Hellinger FJ. Physician and hospital factors associated with mortality of surgical patients. *Med Care* 1986;24(9):785-800.
- Khuri SF, Daley J, Henderson W et al. Relation of surgical volume to outcome in eight common operations: results from the VA National Surgical Quality Improvement Program. *Ann Surg* 1999;230(3): 414-29; discussion 429-32.
- Lawrence PF, Gazak C, Bhirangi L et al. The epidemiology of surgically repaired aneurysms in the United States. *J Vasc Surg* 1999;30(4):632-40.
- Luft HS, Bunker JP, Enthoven AC. Should operations be regionalised? The empirical relationship between surgical volume and mortality. *N Engl J Med* 1979;301(25):1364-9.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.
- Maerki SC, Luft HS, Hunt SS. Selecting categories of patients for regionalization. Implications of the relationship between volume and outcome. *Med Care* 1986;24(2):148-58.
- Maerki SC, Luft HS, Hunt SS. Selecting categories of patients for regionalization. Implications of the relationship between volume and outcome. *Med Care* 1986;24(2):148-58.
- Manheim LM, Sohn MW, Feinglass J, Ujiki M, Parker MA, Pearce WH. Hospital vascular surgery volume and procedure mortality rates in California, 1982-1994. *J Vasc Surg* 1998;28(1):45-56; discussion 56-8.
- Ouriel K, Geary K, Green RM, Fiore W, Geary JE, DeWeese JA. Factors determining survival after ruptured aortic aneurysm: the hospital, the surgeon, and the patient. *J Vasc Surg* 1990;11(4):493-6.
- Pearce WH, Parker MA, Feinglass J, Ujiki M, Manheim LM. The importance of surgeon volume and training in outcomes for vascular surgical procedures. *J Vasc Surg* 1999;29(5):768-76; discussion 777-8.

- Pilcher DB, Davis JH, Ashikaga T et al. Treatment of abdominal aortic aneurysm in an entire state over 7 1/2 years. *Am J Surg* 1980; 139(4):487-94.
- Pronovost PJ, Jenckes MW, Dorman T et al. Organizational characteristics of intensive care units related to outcomes of abdominal aortic surgery. *JAMA* 1999;281(14):1310-7.
- Rigberg DA, Zingmond DS, McGory ML et al. Age stratified, perioperative, and one-year mortality after abdominal aortic aneurysm repair: a statewide experience. *J Vasc Surg* 2006;43(2):224-9.
- Rutledge R, Oller DW, Meyer AA, Johnson GJ Jr. A statewide, population-based time-series analysis of the outcome of ruptured abdominal aortic aneurysm. *Ann Surg* 1996;223(5):492-502; discussion 503-5.
- Sollano JA, Gelijns AC, Moskowitz AJ et al. Volume-outcome relationships in cardiovascular operations: New York State, 1990-1995. *J Thorac Cardiovasc Surg* 1999;117(3):419-28; discussion 428-30.
- Trivedi AN, Sequist TD, Ayanian JZ. Impact of hospital volume on racial disparities in cardiovascular procedure mortality. *J Am Coll Cardiol* 2006;47(2):417-24.
- Tu JV, Austin PC, Johnston KW. The influence of surgical specialty training on the outcomes of elective abdominal aortic aneurysm surgery. *J Vasc Surg* 2001;33(3):447-52.
- Urbach DR, Baxter NN. Does it matter what a hospital is "high volume" for? Specificity of hospital volume-outcome associations or surgical procedures: analysis of administrative data. *BMJ* 2004; 328(7442):737-40.
- Urbach DR, Bell CM, Austin PC. Differences in operative mortality between high- and low-volume hospitals in Ontario for 5 major surgical procedures: estimating the number of lives potentially saved through regionalization. *CMAJ* 2003;168(11):1409-14.
- Veith FJ, Goldsmith J, Leather RP, Hannan EL. The need for quality assurance in vascular surgery. *J Vasc Surg* 1991;13(4):523-6.
- Ward MM, Jaana M, Wakefield DS et al. What would be the effect of referral to high-volume hospitals in a largely rural state? *J Rural Health* 2004;20(4):344-54.
- Webster P. Time to evaluate why high-volume hospitals have better surgical outcomes. *CMAJ* 2005;173(2):140.
- Wen SW, Simonovic M, Williams JI, Johnston KW, Naylor CD. Hospital volume, calendar age, and short term outcomes in patients undergoing repair of abdominal aortic aneurysm: the Ontario experience, 1988-92. *J Epidemiol Community Health* 1996;50(2): 207-13.
- Zdanowski Z, Danielsson G, Jonung T et al. Outcome of treatment of ruptured abdominal aortic aneurysms depending on the type of hospital. *Eur J Surg* 2002;168(2):96-100.

## ANEURISMA CEREBRALE CEREBRAL ANEURYSM

**Revisioni (2):** Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 2

**Anni di pubblicazione degli studi inclusi (range):** 1996-1997

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Solomon RA, Mayer SA, Tarmey JJ. Relationship between the volume of craniotomies for cerebral aneurysm performed at New York state hospitals and in-hospital mortality. *Stroke* 1996; 27(1):13-7.
- Taylor CL, Yuan Z, Selman WR, Ratcheson RA, Rimm AA. Mortality rates, hospital length of stay, and the cost of treating subarachnoid hemorrhage in older patients: institutional and geographical differences. *J Neurosurg* 1997;86(4):583-8.

## ANGIOPLASTICA CORONARICA CORONARY ANGIOPLASTY

**Revisioni (4):** Post 2010, Gandjour 2003, Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 27

**Anni di pubblicazione degli studi inclusi (range):** 1994-2008

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Allareddy V, Allareddy V, Konety BR. Specificity of procedure volume and in-hospital mortality association. *Ann Surg* 2007;246(1): 135-9.
- Cannon CP, Gibson CM, Lambrew CT et al. Relationship of symptom-onset-to-balloon time and door-to-balloon time with mortality in patients undergoing angioplasty for acute myocardial infarction. *JAMA* 2000;283(22):2941-7.
- Canto JG, Every NR, Magid DJ et al. The volume of primary angioplasty procedures and survival after acute myocardial infarction. National Registry of Myocardial Infarction 2 Investigators. *N Engl J Med* 2000;342(21):1573-80.
- Carey JS, Danielsen B, Gold JP, Rossiter SJ. Procedure rates and outcomes of coronary revascularization procedures in California and New York. *J Thorac Cardiovasc Surg* 2005;129(6):1276-82.
- Ellis SG, Weintraub W, Holmes D, Shaw R, Block PC, King SB 3rd. Relation of operator volume and experience to procedural outcome of percutaneous coronary revascularization at hospitals with high interventional volumes. *Circulation* 1997;95(11):2479-84.
- Every NR, Maynard C, Schulman K, Ritchie JL. The association between institutional primary angioplasty procedure volume and outcome in elderly Americans. *J Invasive Cardiol* 2000;12(6):303-8.
- Grassman ED, Johnson SA, Krone RJ. Predictors of success and major complications for primary percutaneous transluminal coronary angioplasty in acute myocardial infarction. An analysis of the 1990 to 1994 Society for Cardiac Angiography and Interventions registries. *J Am Coll Cardiol* 1997;30(1):201-8.
- Hannan EL, Racz M, Ryan TJ et al. Coronary angioplasty volume-outcome relationships for hospitals and cardiologists. *JAMA* 1997;277(11):892-8.
- Hannan EL, Wu C, Walford G et al. Volume-outcome relationships for percutaneous coronary interventions in the stent era. *Circulation* 2005;112(8):1171-9.
- Ho V. Evolution of the volume-outcome relation for hospitals performing coronary angioplasty. *Circulation* 2000;101(15):1806-11.
- Jollis JG, Peterson ED, DeLong ER et al. The relation between the volume of coronary angioplasty procedures at hospitals treating Medicare beneficiaries and short-term mortality. *N Engl J Med* 1994;331(24):1625-9.
- Jollis JG, Peterson ED, Nelson CL et al. Relationship between physician and hospital coronary angioplasty volume and outcome in elderly patients. *Circulation* 1997;95(11):2485-91.
- Kimmel SE, Berlin JA, Laskey WK. The relationship between coronary angioplasty procedure volume and major complications. *JAMA* 1995;274(14):1137-42.
- Kimmel SE, Sauer WH, Brensinger C, Hirshfeld J, Haber HL, Localio AR. Relationship between coronary angioplasty laboratory volume and outcomes after hospital discharge. *Am Heart J* 2002;143(5): 833-40.
- Magid DJ, Calonge BN, Rumsfeld JS et al; National Registry of Myocardial Infarction 2 and 3 Investigators. Relation between hospital primary angioplasty volume and mortality for patients with acute MI treated with primary angioplasty vs thrombolytic therapy. *JAMA* 2000;284(24):3131-8.
- Malenka DJ, McGrath PD, Wennberg DE et al. The relationship between operator volume and outcomes after percutaneous coronary interventions in high volume hospitals in 1994-1996: the northern New England experience. Northern New England Cardiovascular Disease Study Group. *J Am Coll Cardiol* 1999;34(5):1471-80.

- Maynard C, Every NR, Chapko MK, Ritchie JL. Institutional volumes and coronary angioplasty outcomes before and after the introduction of stenting. *Eff Clin Pract* 1999;2(3):108-13.
- McGrath PD, Wennberg DE, Dickens JD Jr et al. Relation between operator and hospital volume and outcomes following percutaneous coronary interventions in the era of the coronary stent. *JAMA* 2000;284(24):3139-44.
- McGrath PD, Wennberg DE, Malenka DJ et al. Operator volume and outcomes in 12,998 percutaneous coronary interventions. Northern New England Cardiovascular Disease Study Group. *J Am Coll Cardiol* 1998;31(3):570-6.
- Phillips KA, Luft HS, Ritchie JL. The association of hospital volumes of percutaneous transluminal coronary angioplasty with adverse outcomes, length of stay, and charges in California. *Med Care* 1995;33(5):502-14.
- Ritchie JL, Maynard C, Chapko MK, Every NR, Martin DC. Association between percutaneous transluminal coronary angioplasty volumes and outcomes in the Healthcare Cost and Utilization Project 1993- 1994. *Am J Cardiol* 1999;83(4):493-7.
- Ritchie JL, Phillips KA, Luft HS. Coronary angioplasty. Statewide experience in California. *Circulation* 1993;88(6):2735-43.
- Shiraishi J, Kohno Y, Sawada T et al. Effects of hospital volume of primary percutaneous coronary interventions on angiographic results and in-hospital outcomes for acute myocardial infarction. *Circ J* 2008;72(7):1041-6.
- Shook TL, Sun GW, Burstein S, Eisenhauer AC, Matthews RV. Comparison of percutaneous transluminal coronary angioplasty outcome and hospital costs for low-volume and high-volume operators. *Am J Cardiol* 1996;77(5):331-6.
- Tsuchihashi M, Tsutsui H, Tada H, Shihara M, Takeshita A, Kono S; Japanese Coronary Intervention Study (JCIS) Group. Volume-outcome relation for hospitals performing angioplasty for acute myocardial infarction: results from the Nationwide Japanese Registry. *Circ J* 2004; 68(10):887-91.
- Vakili BA, Kaplan R, Brown DL. Volume-outcome relation for physicians and hospitals performing angioplasty for acute myocardial infarction in New York state. *Circulation* 2001;104(18):2171-6.
- Zahn R, Vogt A, Seidl K et al. Balloon dilatation in acute myocardial infarct in routine clinical practice: results of the register of the Working Society of Leading Cardiologic Hospital Physicians in 4,625 patients. *Z Kardiol* 1997;86(9):712-21.

## APPENDICECTOMIA

### APPENDICECTOMY

**Revisioni (1):** Dudley 2000

**Totale studi inclusi (n.):** 2

**Anni di pubblicazione degli studi inclusi (range):** 1987

#### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Hughes RG, Hunt SS, Luft HS. Effects of surgeon volume and hospital volume on quality of care in hospitals. *Med Care* 1987;25(6): 489-503.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.

## ARTROPLASTICA ALL'ANCA

### HIP ARTHROPLASTY

**Revisioni (3):** Gandjour 2003, Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 12

**Anni di pubblicazione degli studi inclusi (range):** 1997-1999

#### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Culler SD, Holmes AM, Gutierrez B. Expected hospital costs of knee replacement for rural residents by location of service. *Med Care* 1995;33(12):1188-209.
- Espehaug B, Havelin LI, Engesaeter LB, Vollset SE. The effect of hospital-type and operating volume on the survival of hip replacements. A review of 39,505 primary total hip replacements reported to the Norwegian Arthroplasty Register, 1988-1996. *Acta Orthop Scand* 1999;70(1):12-8.
- Farley DE, Ozminkowski RJ. Volume-outcome relationships and in-hospital mortality: the effect of changes in volume over time. *Med Care* 1992;30(1):77-94.
- Hughes RG, Hunt SS, Luft HS. Effects of surgeon volume and hospital volume on quality of care in hospitals. *Med Care* 1987; 25(6):489-503.
- Kreder HJ, Deyo RA, Koepsell T, Swiontkowski MF, Kreuter W. Relationship between the volume of total hip replacements performed by providers and the rates of postoperative complications in the state of Washington. *J Bone Joint Surg Am* 1997;79(4):485-94.
- Kreder HJ, Williams JJ, Jaglal S, Hu R, Axcell T, Stephen D. Are complication rates for elective primary total hip arthroplasty in Ontario related to surgeon and hospital volumes? A preliminary investigation. *Can J Surg* 1998;41(6):431-7.
- Khuri SF, Daley J, Henderson W et al. Relation of surgical volume to outcome in eight common operations: results from the VA National Surgical Quality Improvement Program. *Ann Surg* 1999; 230(3):414-29.
- Lavernia CJ, Guzman JF. Relationship of surgical volume to short-term mortality, morbidity, and hospital charges in arthroplasty. *J Arthroplasty* 1995;10(2):133-40.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.
- Maerki SC, Luft HS, Hunt SS. Selecting categories of patients for regionalization. Implications of the relationship between volume and outcome. *Med Care* 1986;24(2):148-58.
- Riley G, Lubitz J. Outcomes of surgery among the Medicare aged: surgical volume and mortality. *Health Care Financ Rev* 1985; 7(1):37-47.
- Taylor HD, Dennis DA, Crane HS. Relationship between mortality rates and hospital patient volume for Medicare patients undergoing major orthopaedic surgery of the hip, knee, spine, and femur. *J Arthroplasty* 1997;12(3):235-42.

## ARTROPLASTICA AL GINOCCHIO

### KNEE ARTHROPLASTY

**Revisioni (6):** Marlow 2010, Schervin 2007, Stengel 2004, Gandjour 2003, Halm 2002, Dudley 2000,

**Totale studi inclusi (n.):** 21

**Anni di pubblicazione degli studi inclusi (range):** 1995-2007

#### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Coyte PC, Hawker G, Croxford R, Wright JG. Rates of revision knee replacement in Ontario, Canada. *J Bone Joint Surg Am* 1999; 81(6):773-82.
- Culler SD, Holmes AM, Gutierrez B. Expected hospital costs of knee replacement for rural residents by location of service. *Med Care* 1995;33(12):1188-209.



- Feinglass J, Amir H, Taylor P, Lurie I, Manheim LM, Chang RW. How safe is primary knee replacement surgery? Perioperative complication rates in Northern Illinois, 1993-1999. *Arthritis Rheum* 2004;51(1):110-6.
- Graul TL. Total joint replacement: baseline benchmark data for interdisciplinary outcomes management. *Orthop Nurs* 2002;21(3):57-64.
- Gutierrez B, Culler SD, Freund DA. Does hospital procedure-specific volume affect treatment costs? A national study of knee replacement surgery. *Health Serv Res* 1998;33(3 Pt 1):489-511.
- Gutierrez B. Titolo?? Phd Thesis. 1995
- Heck DA, Robinson RL, Partridge CM, Lubitz RM, Freund DA. Patient outcomes after knee replacement. *Clin Orthop Relat Res* 1998;(356):93-110.
- Heck DA, Melfi CA, Mamlin LA et al. Revision rates after knee replacement in the United States. *Med Care* 1998;36(5):661-9.
- Hervey SL, Purves HR, Guller U, Toth AP, Vail TP, Pietrobon R. Provider Volume of Total Knee Arthroplasties and Patient Outcomes in the HCUP-Nationwide Inpatient Sample. *J Bone Joint Surg Am* 2003;85-A(9):1175-83.
- Husted H, Hansen HC, Holm G et al. Length of stay in total hip and knee arthroplasty in Denmark I: volume, morbidity, mortality and resource utilization. A national survey in orthopaedic departments in Denmark. *Ugeskr Laeger* 2006;168(22):2139-43.
- Judge A, Chard J, Learmonth I, Dieppe P. The effects of surgical volumes and training centre status on outcomes following total joint replacement: analysis of the Hospital Episode Statistics for England. *J Public Health (Oxf)* 2006;28(2):116-24.
- Katz JN, Barrett J, Mahomed NN, Baron JA, Wright J, Losina E. Association between hospital and surgeon procedure volume and the outcomes of total knee replacement. *J Bone Joint Surg Am* 2004;86-A(9):1909-16.
- Kreder HJ, Grosso P, Williams JI et al. Provider volume and other predictors of outcome after total knee arthroplasty: a population study in Ontario. *Can J Surg* 2003;46(1):15-22.
- Lavernia CJ, Guzman JF. Relationship of surgical volume to short-term mortality, morbidity, and hospital charges in arthroplasty. *J Arthroplasty* 1995;10(2):133-40.
- Mitsuyasu S, Hagihara A, Horiguchi H, Nobutomo K. Relationship between total arthroplasty case volume and patient outcome in an acute care payment system in Japan. *J Arthroplasty* 2006;21(5):656-63.
- Muilwijk J, van den Hof S, Wille JC. Associations between surgical site infection risk and hospital operation volume and surgeon operation volume amongst hospitals in the Dutch nosocomial infection surveillance network. *Infect Control Hosp Epidemiol* 2007;28(5):557-63.
- Norton EC, Garfinkel SA, McQuay LJ et al. The effect of hospital volume on the in-hospital complication rate in knee replacement patients. *Health Serv Res* 1998;33(5 Pt 1):1191-210.
- Schulze Raestrup U, Smektala R. Are there relevant minimum procedure volumes in trauma and orthopedic surgery? *Zentralbl Chir* 2006;131(6):483-92.
- Solomon DH, Chibnik LB, Losina E et al. Development of a preliminary index that predicts adverse events after total knee replacement. *Arthritis Rheum.* 2006;54(5):1536-42.
- SooHoo NF, Zingmond DS, Lieberman JR, Ko CY. Primary total knee arthroplasty in California 1991 to 2001: does hospital volume affect outcomes? *J Arthroplasty* 2006;21(2):199-205.
- Taylor HD, Dennis DA, Crane HS. Relationship between mortality rates and hospital patient volume for Medicare patients undergoing major orthopaedic surgery of the hip, knee, spine, and femur. *J Arthroplasty* 1997;12(3):235-42.

## BYPASS AORTO-CORONARICO AORTO-CORONARY BYPASS

**Revisioni (5):** Post 2010, Kalant 2004, Gandjour 2003, Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 30

**Anni di pubblicazione degli studi inclusi (range):** 1985-2008

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Birkmeyer JD, Siewers AE, Finlayson EV et al. Hospital volume and surgical mortality in the United States. *N Engl J Med* 2002;346(15):1128-37.
- Brown PP, Mack MJ, Simon AW et al. Comparing clinical outcomes in high-volume and low-volume off-pump coronary bypass operation programs. *Ann Thorac Surg* 2001;72(3):S1009-15.
- Burns LR, Wholey DR. The effects of patient, hospital, and physician characteristics on length of stay and mortality. *Med Care* 1991;29(3):251-71.
- Clark RE. Outcome as a function of annual coronary artery bypass graft volume. The Ad Hoc Committee on Cardiac Surgery Credentialing on the Society of Thoracic Surgeons. *Ann Thorac Surg* 1996;61(1):21-6.
- Farley DE, Ozminkowski RJ. Volume-outcome relationships and in-hospital mortality: the effect of changes in volume over time. *Med Care* 1992;30(1):77-94.
- Ghali WA, Quan H, Brant R. Coronary artery bypass grafting in Canada: hospital mortality rates, 1992-1995. *CMAJ* 1998;159(8):926-30.
- Grumbach K, Anderson GM, Luft HS, Roos LL, Brook R. Regionalization of cardiac surgery in the United States and Canada. Geographic access, choice, and outcomes. *JAMA* 1995;274(16):1282-8.
- Hannan EL, O'Donnell JF, Kilburn H Jr, Bernard HR, Yazici A. Investigation of the relationship between volume and mortality for surgical procedures performed in New York State hospitals. *JAMA* 1989;262(4):503-10.
- Hannan EL, Kilburn H Jr, Bernard H, O'Donnell JF, Lukacik G, Shields EP. Coronary artery bypass surgery: the relationship between in-hospital mortality rate and surgical volume after controlling for clinical risk factors. *Med Care* 1991;29(11):1094-107.
- Hannan EL, Kilburn H Jr, Racz M, Shields E, Chassin MR. Improving the outcomes of coronary artery bypass surgery in New York State. *JAMA* 1994;271(10):761-6.
- Hannan EL, Siu AL, Kumar D, Kilburn H Jr, Chassin MR. The decline in coronary artery bypass graft surgery mortality in New York State. The role of surgeon volume. *JAMA* 1995;273(3):209-13.
- Hughes RG, Hunt SS, Luft HS. Effects of surgeon volume and hospital volume on quality of care in hospitals. *Med Care* 1987;25(6):489-503.
- Johnson AN. *The relationship between volume, quality and outcome in hospital care delivery.* Minnesota, University of Minnesota, 1988.
- Kelly JV, Hellinger FJ. Heart disease and hospital deaths: an empirical study. *Health Serv Res* 1987;22(3):369-95.
- Leape LL, Hilborne LH, Park RE et al. The appropriateness of use of coronary artery bypass graft surgery in New York State. *JAMA* 1993;269(6):753-60.
- Luft HS, Bunker JP, Enthoven AC. Should operations be regionalized? The empirical relation between surgical volume and mortality. *N Eng J Med* 1979;301(25):1364-9.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.
- Maerki SC, Luft HS, Hunt SS. Selecting categories of patients for regionalization. Implications of the relationship between volume and outcome. *Med Care* 1986;24(2):148-58.

- Riley G, Lubitz J. Outcomes of surgery among the Medicare aged: surgical volume and mortality. *Health Care Financ Rev* 1985;7(1): 37-47.
- Rosenfeld K, Luft HS, Garnick DW, McPhee SJ. Changes in patient characteristics and surgical outcomes for coronary artery bypass surgery 1972-82. *Am J Public Health* 1987;77(4):498-500.
- Showstack JA, Rosenfeld KE, Garnick DW, Luft HS, Schaffarzick RW, Fowles J. Association of volume with outcome of coronary artery bypass graft surgery. Scheduled vs nonscheduled operations. *JAMA* 1987;257(6):785-9.
- Shroyer AL, Marshall G, Warner BA et al. No continuous relationship between Veterans Affairs hospital coronary artery bypass grafting surgical volume and operative mortality. *Ann Thorac Surg* 1996;61(1):17-20.
- Sollano JA, Gelijns AC, Moskowitz AJ et al. Volume-outcome relationships in cardiovascular operations: New York State, 1990-1995. *J Thorac Cardiovasc Surg* 1999;117:419-28; discussion 428-30.
- Zelen J, Bilfinger TV, Anagnostopoulos CE. Coronary artery bypass grafting. The relationship of surgical volume, hospital location, and outcome. *N Y State J Med* 1991;91:290-2.
- Allareddy V, Allareddy V, Konety BR. Specificity of procedure volume and in-hospital mortality association. *Ann Surg* 2007;246(1): 135-9.
- Carey JS, Danielsen B, Gold JP, Rossiter SJ. Procedure rates and outcomes of coronary revascularization procedures in California and New York. *J Thorac Cardiovasc Surg* 2005;129(6):1276-82.
- Christian CK, Gustafson ML, Betensky RA, Daley J, Zinner MJ. The Leapfrog volume criteria may fall short in identifying high-quality surgical centers. *Annals of Surg* 2003;238(4):447-55.
- Nallamothu BK, Saint S, Ramsey SD, Hofer TP, Vijan S, Eagle KA. The role of hospital volume in coronary artery bypass grafting: is more always better? *J Am Coll Cardiol* 2001;38(7):1923-30.
- Marcin JP, Li Z, Kravitz RL, Dai JJ, Rocke DM, Romano PS. The CABG surgery volume-outcome relationship: temporal trends and selection effects in California, 1998-2004. *Health Serv Res* 2008; 43(1 Pt 1):174-92.
- Wu SC, Chien LN, Ng YY, Chu HF, Chen CC. Association of case volume with mortality of Chinese patients after coronary artery bypass grafting: Taiwan experience. *Circ J* 2005;69(11):1327-32.

### **BYPASS AORTO-FEMORALE AORTO-FEMORAL BYPASS**

**Revisioni (2):** Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 2

**Anni di pubblicazione degli studi inclusi (range):** 1998-1999

#### **Riferimenti bibliografici degli studi inclusi nelle revisioni**

- Khuri SF, Daley J, Henderson W et al. Relation of surgical volume to outcome in eight common operations: results from the VA National Surgical Quality Improvement Program. *Ann Surg* 1999; 230(3):414-29; discussion 429-32.
- Manheim LM, Sohn MW, Feinglass J, Ujiki M, Parker MA, Pearce WH. Hospital vascular surgery volume and procedure mortality rates in California, 1982-1994. *J Vasc Surg* 1998;28(1):45-56; discussion 56-8.

### **CATERIZZAZIONE CARDIACA CARDIAC CATHETERIZATION**

**Revisione (1):** Dudley 2000

**Totale studi inclusi (n.):** 4

**Anni di pubblicazione degli studi inclusi (range):** 1973-1987

#### **Riferimenti bibliografici degli studi inclusi nelle revisioni**

- Adams DF, Fraser DB, Abrams HL. The complications of coronary arteriography. *Circulation* 1973;48(3):609-18.
- Hughes RG, Hunt SS, Luft HS. Effects of surgeon volume and hospital volume on quality of care in hospitals. *Med Care* 1987;25(6): 489-503.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.
- Maerki SC, Luft HS, Hunt SS. Selecting categories of patients for regionalization. Implications of the relationship between volume and outcome. *Med Care* 1986;24(2):148-58.

### **CHIRURGIA DEL CANCRO AL COLON SURGERY FOR COLON CANCER**

**Revisioni (8):** Archampong 2012, VanGijn 2010, Gruen 2009, Iversen 2006, Killen 2005, Pla 2003, Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 22

**Anni di pubblicazione degli studi inclusi (range):** 1985-2011

#### **Riferimenti bibliografici degli studi inclusi nelle revisioni**

- Bilimoria KY, Bentrem DJ, Feinglass JM et al. Directing surgical quality improvement initiatives: comparison of perioperative mortality and long-term survival for cancer surgery. *J Clin Oncol* 2008;26(28):4626-33.
- Billingsley KG, Morris AM, Dominitz JA et al. Surgeon and hospital characteristics as predictors of major adverse outcomes following colon cancer surgery: understanding the volume-outcome relationship. *Arch Surg* 2007;142(1):23-31; discussion 32.
- Birkmeyer JD, Siewers AE, Finlayson EV et al. Hospital volume and surgical mortality in the United States. *N Engl J Med* 2002;346(15): 1128-37.
- Birkmeyer JD, Sun Y, Wong SL, Stukel TA. Hospital volume and late survival after cancer surgery. *Ann Surg* 2007;245(5):777-83.
- Borowski DW, Bradburn DM, Mills SJ et al; Northern Region Colorectal Cancer Audit Group (NORCCAG). Volume-outcome analysis of colorectal cancer-related outcomes. *Br J Surg* 2010;97(9):1416-30.
- Callahan MA, Christos PJ, Gold HT, Mushlin AI, Daly JM. Influence of surgical subspecialty training on in-hospital mortality for gastrectomy and colectomy patients. *Ann Surg* 2003;238(4): 629-36; discussion 636-9.
- Dimick JB, Cowan JA Jr, Upchurch GR Jr, Coletti LM. Hospital volume and surgical outcomes for elderly patients with colorectal cancer in the United States. *J Surg Res* 2003;114(1):50-6.
- Drolet S, MacLean A, Myers RP, Shaheen A, Dixon E, Buie WD. Elective resection of colon cancer by high-volume surgeons is associated with decreased morbidity and mortality. *J Gastrointest Surg* 2011;15(4):541-50.
- Elferink M, Wouters MW, Krijnen P et al. Disparities in quality of care for colon cancer between hospitals in the Netherlands. *Eur J Surg Oncol* 2010;36 Suppl 1:S64-73.
- Finlayson EV, Goodney PP, Birkemeyer JD. Hospital volume and operative mortality in cancer surgery: a national study. *Arch Surg* 2003;138(7):721-5; discussion 726.
- Hannan EL, O'Donnell JF, Kilburn H Jr, Bernard HR, Yazici A. Investigation of the relationship between volume and mortality for surgical procedures performed in New York State hospitals. *JAMA* 1989;262(4):503-10.

- Khuri SF, Daley J, Henderson W et al. Relation of surgical volume to outcome in eight common operations: results from the VA National Surgical Quality Improvement Program. *Ann Surg* 1999; 230(3):414-29.
- Ko CY, Chang JT, Chaudhry S, Kominski G. Are high-volume surgeons and hospitals the most important predictors of in-hospital outcome for colon cancer resection? *Surgery* 2002;132(2):268-73.
- Lin HC, Xirasagar S, Lee HC, Chai CY. Hospital volume and inpatient mortality after cancer-related gastrointestinal resections: the experience of an Asian country. *Ann Surg Oncol* 2006;13(9):1182-8.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.
- Marusch F, Koch A, Schmidt U et al. Effect of caseload on the short-term outcome of colon surgery: results of a multicenter study. *Int J Colorectal Dis* 2001;16(6):362-9.
- Meyerhardt JA, Catalano PJ, Schrag D et al. Association of hospital procedure volume and outcomes in patients with colon cancer at high risk for recurrence. *Ann Intern Med* 2003;139(8):649-57. Erratum in: *Ann Intern Med* 2004;140(12):1063.
- Morris M, Platell CF. Surgical volume influences survival in patients undergoing resections for stage II colon cancers. *ANZ J Surg* 2007;77(10):902-6.
- Riley G, Lubitz J. Outcomes of surgery among the Medicare aged: surgical volume and mortality. *Health Care Financ Rev* 1985;7(1): 37-47.
- Rogers SO Jr, Wolf RE, Zaslavsky AM, Wright WE, Ayanian JZ. Relation of surgeon and hospital volume to processes and outcomes of colorectal cancer surgery. *Ann Surg* 2006;244(6):1003-11.
- Schrag D, Panageas KS, Riedel E et al. Surgeon volume compared to hospital volume as a predictor of outcome following primary colon cancer resection. *J Surg Oncol* 2003;83(2):68-78; discussion 78-9.
- Simunovic M, Rempel E, Thériault ME et al. Influence of hospital characteristics on operative death and survival of patients after major cancer surgery in Ontario. *Can J Surg* 2006;49(4):251-8.
- Jessup JM, McGinnis LS, Steele GD Jr, Menck HR, Winchester DP. The National Cancer Data Base. Report on colon cancer. *Cancer* 1996;78(4):918-26.
- Kelly JV, Hellinger FJ. Physician and hospital factors associated with mortality of surgical patients. *Med Care* 1986;24(9):785-800.
- Kingston RD, Walsh S, Jeacock J. Colorectal surgeons in district general hospitals produce similar survival outcomes to their teaching hospital colleagues: review of 5-year survivals in Manchester. *J R Coll Surg Edinb* 1992;37(4):235-7.
- Maerki SC, Luft HS, Hunt SS. Selecting categories of patients for regionalization. Implications of the relationship between volume and outcome. *Med Care* 1986;24(2):148-58.
- Marusch F, Koch A, Schmidt U et al. Effect of caseload on the short-term outcome of colon surgery: results of a multicenter study. *Int J Colorectal Dis* 2001;16(6):362-9.
- Matthiessen P, Hallbook O, Rutegard J, Sjødahl R. Population-based study of risk factors for postoperative death after anterior resection of the rectum. *Br J Surg* 2006;93(4):498-503.
- Mella J, Biffin A, Radcliffe AG, Stamatakis JD, Steele RJ. Population-based audit of colorectal cancer management in two UK health regions. Colorectal Cancer Working Group, Royal College of Surgeons of England Clinical Epidemiology and Audit Unit. *Br J Surg* 1997;84(12):1731-6.
- Ng VV, Tytherleigh MG, Fowler L, Farouk R. Subspecialisation and its effect on the management of rectal cancer. *Ann R Coll Surg Engl* 2006;88(2):181-4.
- Rabeneck L, Davila JA, Thompson M, El-Serag HB. Surgical volume and long-term survival following surgery for colorectal cancer in the Veterans Affairs Health-Care System. *Am J Gastroenterol* 2004;99(4):668-75.
- Rogers SO Jr, Wolf RE, Zaslavsky AM, Wright WE, Ayanian JZ. Relation of surgeon and hospital volume to processes and outcomes of colorectal cancer surgery. *Ann Surg* 2006;244(6):1003-11.
- Urbach DR, Bell CM, Austin PC. Differences in operative mortality between high- and low-volume hospitals in Ontario for 5 major surgical procedures: estimating the number of lives potentially saved through regionalization. *CMAJ* 2003;168(11):1409-14.

### CHIRURGIA DEL CANCRO AL COLON RETTO SURGERY FOR COLORECTAL CANCER

**Revisioni (8):** Archampong 2012, VanGijn 2010, Gruen 2009, Salz 2008, Iversen 2006, Killen 2005, Hogdson 2001, Dudley 2000

**Totale studi inclusi (n.):** 17

**Anni di pubblicazione degli studi inclusi (range):** 1986-2010

#### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Begg CB, Cramer LD, Hoskins WJ, Brennan MF. Impact of hospital volume on operative mortality for major cancer surgery. *JAMA* 1998;280(20):1747-51.
- Borowski DW, Bradburn DM, Mills SJ et al; Northern Region Colorectal Cancer Audit Group (NORCCAG). Volume-outcome analysis of colorectal cancer-related outcomes. *Br J Surg* 2010;97(9):1416-30.
- Borowski DW, Kelly SB, Bradburn DM et al. Impact of surgeon volume and specialization on short-term outcomes in colorectal cancer surgery. *Br J Surg* 2007;94(7):880-9.
- Fielding LP, Phillips RK, Hittinger R. Factors influencing mortality after curative resection for large bowel cancer in elderly patients. *Lancet* 1989;1(8638):595-7.
- Hermanek P, Wiebelt H, Staimmer D, Riedl S. Prognostic factors of rectum carcinoma – experience of the German Multicentre Study SGCRC. German Study Group Colo-Rectal Carcinoma. *Tumori* 1995;81(3) Suppl:60-4.
- Hughes RG, Hunt SS, Luft HS. Effects of surgeon volume and hospital volume on quality of care in hospitals. *Med Care* 1987; 25(6):489-503.

### CHIRURGIA DEL CANCRO ALL'ESOFAGO SURGERY FOR OESOPHAGEAL CANCER

**Revisioni (13):** Markar 2011, Wouters 2011, Lauder 2010, Rouvelais 2010, Gruen 2009, Wouters 2009, Killeen 2005, Holscher 2004, Weitz 2004, Gandjour 2003, Pla 2003, Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 66

**Anni di pubblicazione degli studi inclusi (range):** 1986-2011

#### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Allareddy V, Allareddy V, Konety BR. Specificity of procedure volume and in-hospital mortality association. *Ann Surg* 2007;246(1): 135-9.
- Andersen KB, Olsen JB, Pedersen JJ. Esophageal resection in Denmark 1985-1988. A retrospective study of complications and early mortality. *Ugeskr Laeger* 1994;156(4):473-6.
- Al-Sarira AA, David G, Willmott S, Slavin JP, Deakin M, Corless DJ. Oesophagectomy practice and outcomes in England. *Br J Surg* 2007;94(5):585-91.
- Bachmann MO, Alderson D, Edwards D et al. Cohort study in South and West England of the influence of specialization on the management and outcome of patients with oesophageal and gastric cancers. *Br J Surg* 2002;89(7):914-22.
- Begg CB, Cramer LD, Hoskins WJ, Brennan MF. Impact of hospital volume on operative mortality for major cancer surgery. *JAMA* 1998;280(20):1747-51.
- Birkmeyer JD, Finlayson EV, Birkmeyer CM. Volume standards for

- high-risk surgical procedures: potential benefits of the Leapfrog initiative. *Surgery* 2001;130(3):415-22.
- Birkmeyer JD, Siewers AE, Finlayson EV et al. Hospital volume and surgical mortality in the United States. *N Engl J Med* 2002;346(15):1128-37.
  - Birkmeyer JD, Stukel TA, Siewers AE, Goodney PP, Wennberg DE, Lucas FL. Surgeon volume and operative mortality in the United States. *N Engl J Med* 2003;349(22):2117-27.
  - Birkmeyer JD, Dimick JB, Birkmeyer NJ. Measuring the quality of surgical care: structure, process, or outcomes? *J Am Coll Surg* 2004;198(4):626-32.
  - Birkmeyer JD, Sun Y, Goldfaden A, Birkmeyer NJ, Stukel TA. Volume and process of care in high-risk cancer surgery. *Cancer* 2006;106(11):2476-81.
  - Birkmeyer JD, Sun Y, Wong SL, Stukel TA. Hospital volume and late survival after cancer surgery. *Ann Surg* 2007;245(5):777-83.
  - Dimick JB, Cattaneo SM, Lipsett PA, Pronovost PJ, Heitmiller RF. Hospital volume is related to clinical and economic outcomes of esophageal resection in Maryland. *Ann Thorac Surg* 2001;72(2):334-9; discussion 339-41.
  - Dimick JB, Cowan JA Jr, Ailawadi G, Wainess RM, Upchurch GR Jr. National variation in operative mortality rates for esophageal resection and the need for quality improvement. *Arch Surg* 2003;138(12):1305-9.
  - Dimick JB, Pronovost PJ, Cowan JA Jr, Lipsett PA, Stanley JC, Upchurch GR Jr. Variation in postoperative complication rates after high-risk surgery in the United States. *Surgery* 2003;134(4):534-40; discussion 540-1.
  - Dimick JB, Pronovost PJ, Cowan JA Jr, Lipsett PA. Surgical volume and quality of care for esophageal resection: do high-volume hospitals have fewer complications? *Ann Thorac Surg* 2003;75(2):337-41.
  - Dimick JB, Goodney PP, Orringer MB, Birkmeyer JD. Specialty training and mortality after esophageal cancer resection. *Ann Thorac Surg* 2005;80(1):282-6.
  - Dimick JB, Wainess RM, Upchurch GR Jr, Iannettoni MD, Orringer MB. National trends in outcomes for esophageal resection. *Ann Thorac Surg* 2005;79(1):212-6; discussion 217-8.
  - Elixhauser A, Steiner C, Fraser I. Volume thresholds and hospital characteristics in the United States. *Health Aff (Millwood)* 2003;22(2):167-77.
  - Finlayson EV, Goodney PP, Birkmeyer JD. Hospital volume and operative mortality in cancer surgery: a national study. *Arch Surg* 2003;138(7):721-5; discussion 726.
  - Fujita H, Ozawa S, Kuwano H, Ueda Y, Hattori S, Yanagawa T; Committee for Scientific Affairs; Japanese Association for Thoracic Surgery. Esophagectomy for cancer: clinical concerns support centralizing operations within the larger hospitals. *Dis Esophagus* 2010;23(2):145-52.
  - Funk LM, Gawande AA, Semel ME et al. Esophagectomy outcomes at low-volume hospitals: the associated between systems characteristics and mortality. *Ann Surg* 2011;253(5):912-7.
  - Gasper WJ, Glidden DV, Jin C, Way LW, Patti MG. Has recognition of the relationship between mortality rates and hospital volume for major cancer surgery in California made a difference?: A follow-up analysis of another decade. *Ann Surg* 2009;250(3):472-83.
  - Gillison EW, Powell J, McConkey CC, Spychal RT. Surgical workload and outcome after resection for carcinoma of the oesophagus and cardia. *Br J Surg* 2002;89(3):344-8.
  - Goodney PP, Stukel TA, Lucas FL, Finlayson EV, Birkmeyer JD. Hospital volume, length of stay, and readmission rates in high-risk surgery. *Ann Surg* 2003;238(2):161-7.
  - Gordon TA, Bowman HM, Bass EB et al. Complex gastrointestinal surgery: impact of provider experience on clinical and economic outcomes. *J Am Coll Surg* 1999;189(1):46-56.
  - Ho V, Heslin MJ, Yun H, Howard L. Trends in hospital and surgeon volume and operative mortality for cancer surgery. *Ann Surg Oncol* 2006;13(6):851-8.
  - Hollenbeck BK, Hong JI, Zaojun YE, Birkmeyer JD. Misclassification of hospital volume with Surveillance, Epidemiology, and End Results Medicare data. *Surg Innov* 2007;14(3):192-8.
  - Jensen LS, Bendixen A, Kehlet H. Organisation and early outcomes of major upper gastrointestinal cancer surgery in Denmark 1996-2004. *Scand J Surg* 2007;96(1):41-5.
  - Kazui T, Osada H, Fujita H; Committee for Scientific Affairs. An attempt to analyze the relation between hospital surgical volume and clinical outcome. *Gen Thorac Cardiovasc Surg* 2007;55(12):483-92.
  - Kuo EY, Chang Y, Wright CD. Impact of hospital volume on clinical and economic outcomes for esophagectomy. *Ann Thorac Surg* 2001;72(4):1118-24.
  - Leigh Y, Goldacre M, McCulloch P. Surgical specialty, surgical unit volume and mortality after oesophageal cancer surgery. *Eur J Surg Oncol* 2009;35(8):820-5.
  - Lin HC, Xirasagar S, Lee HC, Chai CY. Hospital volume and inpatient mortality after cancer-related gastrointestinal resections: the experience of an Asian country. *Ann Surg Oncol* 2006;13(9):1182-8.
  - Matthews HR, Powell DJ, McConkey CC. Effect of surgical experience on the results of resection for oesophageal carcinoma. *Br J Surg* 1986;73(8):621-3.
  - McCulloch P, Ward J, Tekkis PP; ASCOT group of surgeons; British Oesophago-Gastric Cancer Group. Mortality and morbidity in gastro-oesophageal cancer surgery: initial results of ASCOT multicentre prospective cohort study. *BMJ* 2003;327(7425):1192-7.
  - Meguid RA, Weiss ES, Chang DC, Brock MV, Yang SC. The effect of volume on esophageal cancer resections: what constitutes acceptable resection volumes for centers of excellence? *J Thorac Cardiovasc Surg* 2009;137(1):23-9.
  - Metzger R, Bollschweiler E, Vallbohmer D, Maish M, DeMeester TR, Holscher AH. High volume centers for esophagectomy: what is the number needed to achieve low postoperative mortality? *Dis Esophagus* 2004;17(4):310-4.
  - Migliore M, Choong CK, Lim E, Goldsmith KA, Ritchie A, Wells FC. A surgeon's case volume of oesophagectomy for cancer strongly influences the operative mortality rate. *Eur J Cardiothorac Surg* 2007;32(2):375-80.
  - Miller JD, Jain MK, de Gara CJ, Morgan D, Urschel JD. Effect of surgical experience on results of esophagectomy for esophageal carcinoma. *J Surg Oncol* 1997;65(1):20-1.
  - Pal N, Axisa B, Yusof S et al. Volume and outcome for major upper GI surgery in England. *J Gastrointest Surg* 2008;12(2):353-7.
  - Patti MG, Corvera CU, Galsgow RE, Way LW. A hospital's annual rate of esophagectomy influences the operative mortality rate. *J Gastrointestinal Surg* 1998;2(2):186-92.
  - Ra J, Paulson EC, Kucharczuk J et al. Postoperative mortality after esophagectomy for cancer: development of a preoperative risk prediction model. *Ann Surg Oncol* 2008;15(6):1577-84.
  - Reavis KM, Smith BR, Hinojosa MW, Nguyen NT. Outcomes of esophagectomy at academic centers: an association between volume and outcome. *Am Surg* 2008;74(10):939-43.
  - Rodgers M, Jobe BA, O'Rourke RW, Sheppard B, Diggs B, Hunter JG. Case volume as a predictor of inpatient mortality after esophagectomy. *Arch Surg* 2007;142(9):829-39.
  - Rouvelas I, Jia C, Viklund P, Lindblad M, Lagergren J. Surgeon volume and postoperative mortality after oesophagectomy for cancer. *Eur J Surg Oncol* 2007;33(2):162-8.
  - Rouvelas I, Lindblad M, Zeng W, Viklund P, Ye W, Lagergren J. Impact of hospital volume on long-term survival after esophageal cancer surgery. *Arch Surg* 2007;142(2):113-7; discussion 118.
  - Rutegard M, Lagergren J, Rouvelas I, Lagergren P. Surgeon volume



is a poor proxy for skill in esophageal cancer surgery. *Ann Surg* 2009;249(2):256-61.

- Simunovic M, Rempel E, Theriault ME et al. Influence of hospital characteristics on operative death and survival of patients after major cancer surgery in Ontario. *Can J Surg* 2006;49(4):251-8.
- Stavrou PE, Smith SG, Baker DF. Surgical outcomes associated with oesophagectomy in New South Wales: an investigation of hospital volume. *J Gastrointest Surg* 2010;14(6):951-7.
- Sundelof M, Lagergren J, Ye W. Surgical factors influencing outcomes in patients resected for cancer of the esophagus or gastric cardia. *World J Surg* 2008;32(11):2357-65.
- Sutton DN, Wayman J, Griffin SM. Learning curve for oesophageal cancer surgery. *Br J Surg* 1998;85(10):1399-402.
- Suzuki H, Gotoh M, Sugihara K et al. Nationwide survey and establishment of a clinical database for gastrointestinal surgery in Japan: Targeting integration of a cancer registration system and improving the outcome of cancer treatment. *Cancer Sci* 2011;102(1):226-30.
- Swisher SG, Deford L, Merriman KW et al. Effect of operative volume on morbidity, mortality, and hospital use after esophagectomy for cancer. *J Thorac Cardiovasc Surg* 2000;119(6):1126-32.
- Thompson AM, Rapson T, Gilbert FJ, Park KG; Scottish Audit of Gastric and Oesophageal Cancer. Hospital volume does not influence long-term survival of patients undergoing surgery for oesophageal or gastric cancer. *Br J Surg* 2007;94(5):578-84.
- Traverso LW, Shinchi H, Low DE. Useful benchmarks to evaluate outcomes after esophagectomy and pancreaticoduodenectomy. *Am J Surg* 2004;187(5):604-8.
- Urbach DR, Bell CM, Austin PC. Differences in operative mortality between high- and low-volume hospitals in Ontario for 5 major surgical procedures: estimating the number of lives potentially saved through regionalization. *CMAJ* 2003;168(11):1409-14.
- Urbach DR, Baxter NN. Does it matter what a hospital is "high volume" for? Specificity of hospital volume-outcome associations for surgical procedures: analysis of administrative data. *Qual Saf Health Care* 2004;13(5):379-83.
- Urbach DR, Austin PC. Conventional models overestimate the statistical significance of volume-outcome associations, compared with multilevel models. *J Clin Epidemiol* 2005;58(4):391-400.
- van Lanschot JJ, Hulscher JB, Buskens CJ, Tilanus HW, ten Kate FJ, Obertop H. Hospital volume and hospital mortality for esophagectomy. *Cancer* 2001;91(8):1574-8.
- Verhoef C, van de Weyer R, Schaapveld M, Bastiaannet E, Plukker JT. Better survival in patients with esophageal cancer after surgical treatment in university hospitals: a plea for performance by surgical oncologists. *Ann Surg Oncol* 2007;14(5):1678-87.
- Viklund P, Lindblad M, Lagergren J. Influence of surgery-related factors on quality of life after esophageal or cardia cancer resection. *World J Surg* 2005;29(7):841-8.
- Ward MM, Jaana M, Wakefield DS et al. What would be the effect of referral to high-volume hospitals in a largely rural state? *J Rural Health* 2004;20(4):344-54.
- Wenner J, Zilling T, Bladstrom A, Alvegard TA. The influence of surgical volume on hospital mortality and 5-year survival for carcinoma of the oesophagus and gastric cardia. *Anticancer Res* 2005;25(1B):419-24.
- Wouters MW, Wijnhoven BP, Karim-Kos HE et al. High-volume versus low-volume for esophageal resections for cancer: the essential role of case-mix adjustments based on clinical data. *Ann Surg Oncol* 2008;15(1):80-7.
- Wouters MW, Karim-Kos HE, le Cessie S et al. Centralization of esophageal cancer surgery: does it improve clinical outcome? *Ann Surg Oncol* 2009;16(7):1789-98.
- Wright CD, Kucharczuk JC, O'Brien SM, Grab JD, Allen MS; Society of Thoracic Surgeons General Thoracic Surgery Database. Predictors of major morbidity and mortality after esophagectomy

for esophageal cancer: a Society of Thoracic Surgeons General Thoracic Surgery Database risk adjustment model. *J Thorac Cardiovasc Surg* 2009;137(3):587-95; discussion 596.

- Yasunaga H, Matsuyama Y, Ohe K; Japan Surgical Society. Effects of hospital and surgeon case-volumes on postoperative complications and length of stay after esophagectomy in Japan. *Surg Today* 2009;39(7):566-71.

## CHIRURGIA DEL CANCRO AL FEGATO SURGERY FOR LIVER CANCER

**Revisioni (6):** Garcea 2009, Gruen 2009, Killeen 2005, Gandjour 2003, Pla 2003, Dudley 2000

**Totale studi inclusi (n.):** 14

**Anni di pubblicazione degli studi inclusi (range):** 1998-2007

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Begg CB, Cramer LD, Hoskins WJ, Brennan MF. Impact of hospital volume on operative mortality for major cancer surgery. *JAMA* 1998;280(20):1747-51.
- Birkmeyer JD, Sun Y, Goldfaden A, Birkmeyer NJ, Stukel TA. Volume and process of care in high-risk cancer surgery. *Cancer* 2006;106(11):2476-81.
- Choti MA, Bowman HM, Pitt HA et al. Should hepatic resections be performed at high-volume referral centers? *J Gastrointest Surg* 1998;2(1):11-20.
- Dimick JB, Cowan JA Jr, Ailawadi G, Wainess RM, Upchurch GR Jr. National variation in operative mortality rates for esophageal resection and the need for quality improvement. *Arch Surg* 2003;138(12):1305-9.
- Dimick JB, Cowan JA Jr, Knol JA, Upchurch GR Jr. Hepatic resection in the United States: indications, outcomes, and hospital procedural volumes from a nationally representative database. *Arch Surg* 2003;138(2):185-91.
- Dimick JB, Pronovost PJ, Cowan JA Jr, Lipsett PA. Postoperative complication rates after hepatic resection in Maryland hospitals. *Arch Surg* 2003;138(1):41-6.
- Dimick JB, Wainess RM, Cowan JA, Upchurch GR Jr, Knol JA, Colletti LM. National trends in the use and outcomes of hepatic resection. *J Am Coll Surg* 2004;199(1):31-8.
- Figueras J, Busquets J, Ramos E et al. Clinical study of 437 consecutive hepatectomies. *Med Clin (Barc)* 2001;117(2):41-4.
- Fong Y, Gonen M, Rubin D, Radzyner M, Brennan MF. Long-term survival is superior after resection for cancer in high-volume centers. *Ann Surg* 2005;242(4):540-4; discussion 544-7.
- Glasgow RE, Showstack JA, Katz PP, Corvera CU, Warren RS, Mulvihill SJ. The relationship between hospital volume and outcomes of hepatic resection for hepatocellular carcinoma. *Arch Surg* 1999;134(1):30-5.
- Gordon TA, Bowman HM, Bass EB et al. Complex gastrointestinal surgery: impact of provider experience on clinical and economic outcomes. *J Am Coll Surg* 1999;189(1):46-56.
- Hollenbeck BK, Dunn RL, Miller DC, Daignault S, Taub DA, Wei JT. Volume-based referral for cancer surgery: informing the debate. *J Clin Oncol* 2007;25(1):91-6.
- Lin HC, Xirasagar S, Lee HC, Chai CY. Hospital volume and inpatient mortality after cancer-related gastrointestinal resections: the experience of an Asian country. *Ann Surg Oncol* 2006;13(9):1182-8.
- Simunovic M, Rempel E, Theriault ME et al. Influence of hospital characteristics on operative death and survival of patients after major cancer surgery in Ontario. *Can J Surg* 2006;49(4):251-8.

## CHIRURGIA DEL CANCRO ALLA MAMMELLA SURGERY FOR BREAST CANCER

**Revisioni (6):** Gooiker 2010, Killeen 2005, Gandjour 2003, Pla 2003, Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 20

**Anni di pubblicazione degli studi inclusi (range):** 1995-2008

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Allgood PC, Bachmann MO. Effects of specialisation on treatment and outcomes in screen-detected breast cancers in Wales: cohort study. *Br J Cancer* 2006;94(1):36-42.
- Baillie K, Dobie I, Kirk S, Donnelly M. Survival after breast cancer treatment: the impact of provider volume. *J Eval Clin Pract* 2007; 13(5):749-57.
- Chen CS, Liu TC, Lin HC, Lien YC. Does high surgeon and hospital surgical volume raise the five-year survival rate for breast cancer? A population-based study. *Breast Cancer Res Treat* 2008;110(2):349-56.
- Clayforth C, Fritschi L, McEvoy SP et al. Five-year survival from breast cancer in Western Australia over a decade. *Breast* 2007; 16(4):375-81.
- Gilligan MA, Neuner J, Zhang X, Sparapani R, Laud PW, Nattinger AB. Relationship between number of breast cancer operations performed and 5-year survival after treatment for early-stage breast cancer. *Am J Public Health* 2007;97(3):539-44.
- Guller U, Safford S, Pietrobon R, Heberer M, Oertli D, Jain NB. High hospital volume is associated with better outcomes for breast cancer surgery: analysis of 233,247 patients. *World J Surg* 2005;29(8): 994-9; discussion 999-1000.
- Gutierrez JC, Hurley JD, Housri N, Perez EA, Byrne MM, Koniaris LG. Are many community hospitals undertreating breast cancer?: lessons from 24,834 patients. *Ann Surg* 2008;248(2):154-62.
- Harcourt KF, Hicks KL. Is there a relationship between case volume and survival in breast cancer? *Am J Surg* 2003;185(5):407-10.
- Hébert-Croteau N, Brisson J, Latreille J, Blanchette C, Deschênes L. Variations in the treatment of early-stage breast cancer in Quebec between 1988 and 1994. *CMAJ* 1999;161(8):951-5.
- Hébert-Croteau N, Brisson J, Lemaire J, Latreille J, Pineault R. Investigating the correlation between hospital of primary treatment and the survival of women with breast cancer. *Cancer* 2005; 104(7):1343-8.
- Nattinger AB, Laud PW, Sparapani RA, Zhang X, Neuner JM, Gilligan MA. Exploring the surgeon volume outcome relationship among women with breast cancer. *Arch Intern Med* 2007; 167(18):1958-63.
- Peris Tuser M, Espinas Pinol JA, Bustins Poblet M, Escobedo Sanchez A, Borrás Andrés J, Piug Oriol X. Variations in use of breast-conserving surgery by patient, hospital characteristics, and region: a multilevel analysis. *Rev Oncologia* 2001;3(3):137-41.
- Polednak AP. Hospital volume and survival of breast cancer patients in Connecticut. *Am J Public Health* 1999;89(6):946-7.
- Roohan PJ, Bickell NA, Baptiste MS, Therriault GD, Ferrara EP, Siu AL. Hospital volume differences and five-year survival from breast cancer. *Am J Public Health* 1998;88(3):454-7.
- Sainsbury R, Haward B, Rider L, Johnston C, Round C. Influence of clinician workload and patterns of treatment on survival from breast cancer. *Lancet* 1995;345(8960):1265-70.
- Simunovic M, Rempel E, Therriault ME et al. Influence of hospital characteristics on operative death and survival of patients after major cancer surgery in Ontario. *Can J Surg* 2006;49(4):251-8.
- Skinner KA, Helsper JT, Deapen D, Ye W, Sposto R. Breast cancer: do specialists make a difference? *Ann Surg Oncol* 2003;10(6):606-15.
- Spillane AJ, Littlejohn D, Wong S, Robertson AO, Crowe PJ. Australia's breast surgery workload is changing: comparison of a metropolitan and a rural hospital. *Aust N Z J Surg* 1999;69(3):178-82.

- Stefoski Mikeljevic J, Haward RA, Johnston C, Sainsbury R, Forman D. Surgeon workload and survival from breast cancer. *Br J Cancer* 2003;89(3):487-91.
- Winchester DJ, Menck HR, Winchester DP. National treatment trends for ductal carcinoma in situ of the breast. *Arch Surg* 1997;132(6):660-5.

## CHIRURGIA DEL CANCRO AL PANCREAS SURGERY FOR PANCREATIC CANCER

**Revisioni (10):** Gooiker 2011, Gruen 2009, van Heek 2005, Killeen 2005, Holscher 2004, Weitz 2004, Gandjour 2003, Pla 2003, Halm 2002, Dudley 2000,

**Totale studi inclusi (n.):** 45

**Anni di pubblicazione degli studi inclusi (range):** 1993-2009

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Bachmann MO, Alderson D, Peters TJ et al. Influence of specialization on the management and outcome of patients with pancreatic cancer. *Br J Surg* 2003;90(2):171-7.
- Balzano G, Zerbi A, Capretti G, Rocchetti S, Capitanio V, Di Carlo V. Effect of hospital volume on outcome of pancreaticoduodenectomy in Italy. *Br J Surg* 2008;95(3):357-62.
- Begg CB, Cramer LD, Hoskins WJ, Brennan MF. Impact of hospital volume on operative mortality for major cancer surgery. *JAMA* 1998;280(20):1747-51.
- Bilimoria KY, Bentrem DJ, Feinglass JM et al. Directing surgical quality improvement initiatives: comparison of perioperative mortality and long-term survival for cancer surgery. *J Clin Oncol* 2008;26(28):4626-33.
- Birkmeyer JD, Finlayson SR, Tosteson AN, Sharp SM, Warshaw AL, Fisher ES. Effect of hospital volume on in-hospital mortality with pancreaticoduodenectomy. *Surgery* 1999;125(3):250-6.
- Birkmeyer JD, Warshaw AL, Finlayson SR, Grove MR, Tosteson AN. Relationship between hospital volume and late survival after pancreaticoduodenectomy. *Surgery* 1999;126(2):178-83.
- Birkmeyer JD, Siewers AE, Finlayson EV et al. Hospital volume and surgical mortality in the United States. *N Engl J Med* 2002;346(15): 1128-37.
- Birkmeyer JD, Stukel TA, Siewers AE, Goodney PP, Wennberg DE, Lucas FL. Surgeon volume and operative mortality in the United States. *N Engl J Med* 2003;349(22):2117-27.
- Birkmeyer JD, Sun Y, Wong SL, Stukel TA. Hospital volume and late survival after cancer surgery. *Ann Surg* 2007;245(5):777-83.
- Cheng Q, Zhang B, Zhang Y et al. Predictive factors for complications after pancreaticoduodenectomy. *J Surg Res* 2007;139(1):22-9.
- Dimick JB, Pronovost PJ, Cowan JA Jr, Lipsett PA, Stanley JC, Upchurch GR Jr. Variation in postoperative complication rates after high-risk surgery in the United States. *Surgery* 2003;134(4): 534-40; discussion 540-1.
- Edge SB, Schmiege RE Jr, Rosenlof LK, Wilhelm MC. Pancreas cancer resection outcome in American University centers in 1989-1990. *Cancer* 1993;71(11):3502-8.
- Eppsteiner RW, Csikesz NG, McPhee JT, Tseng JF, Shah SA. Surgeon volume impacts hospital mortality for pancreatic resection. *Ann Surg* 2009;249(4):635-40.
- Finlayson EV, Goodney PP, Birkmeyer JD. Hospital volume and operative mortality in cancer surgery: a national study. *Arch Surg* 2003;138(7):721-5; discussion 726.
- Fong Y, Gonen M, Rubin D, Radzyner M, Brennan MF. Long-term survival is superior after resection for cancer in high-volume centers. *Ann Surg* 2005;242(4):540-4; discussion 544-7.
- Gasper WJ, Glidden DV, Jin C, Way LW, Patti MG. Has recognition of the relationship between mortality rates and hospital volume for major cancer surgery in California made a difference?: A follow-up analysis of another decade. *Ann Surg* 2009;250(3):472-83.

- Glasgow RE, Mulvihill SJ. Hospital volume influences outcome in patients undergoing pancreatic resection for cancer. *West J Med* 1996;165(5):294-300.
- Gordon TA, Bowman HM, Bass EB et al. Complex gastrointestinal surgery: impact of provider experience on clinical and economic outcomes. *J Am Coll Surg* 1999;189(1):46-56.
- Gordon TA, Bowman HM, Tielsch JM, Bass EB, Burleyson GP, Cameron JL. Statewide regionalization of pancreaticoduodenectomy and its effect on in-hospital mortality. *Ann Surg* 1998;228(1):71-8.
- Gordon TA, Burleyson GP, Tielsch JM, Cameron JL. The effects of regionalization on cost and outcome for one general high-risk surgical procedure. *Ann Surg* 1995;221(1):43-9.
- Gouma DJ, van Geenen RC, van Gulik TM et al. Rates of complications and death after pancreaticoduodenectomy: risk factors and the impact of hospital volume. *Ann Surg* 2000;232(6):786-95.
- Ho V, Heslin MJ. Effect of hospital volume and experience on in-hospital mortality for pancreaticoduodenectomy. *Ann Surg* 2003;237(4):509-14.
- Hollenbeck BK, Dunn RL, Miller DC, Daignault S, Taub DA, Wei JT. Volume-based referral for cancer surgery: informing the debate. *J Clin Oncol* 2007;25(1):91-6.
- Hutter MM, Glasgow RE, Mulvihill SJ. Does the participation of a surgical trainee adversely impact patient outcomes? A study of major pancreatic resections in California. *Surgery* 2000;128(2):286-92.
- Imperato PJ, Nenner RP, Starr HA, Will TO, Rosenberg CR, Dearie MB. The effects of regionalization on clinical outcomes for a high risk surgical procedure: a study of the Whipple procedure in New York State. *Am J Med Qual* 1996;11(4):193-7.
- Janes RH Jr, Niederhuber JE, Chmiel JS et al. National patterns of care for pancreatic cancer. Results of a survey by the Commission on Cancer. *Ann Surg* 1996;223(3):261-72.
- Jensen LS, Bendixen A, Kehlet H. Organisation and early outcomes of major upper gastrointestinal cancer surgery in Denmark 1996-2004. *Scand J Surg* 2007;96(1):41-5.
- Kotwall CA, Maxwell JG, Brinker CC, Koch GG, Covington DL. National estimates of mortality rates for radical pancreaticoduodenectomy in 25,000 patients. *Ann Surg Oncol* 2002;9(9):847-54.
- Lieberman MD, Kilburn H, Lindsey M, Brennan MF. Relation of perioperative deaths to hospital volume among patients undergoing pancreatic resection for malignancy. *Ann Surg* 1995;222(5):638-45.
- Lin HC, Xirasagar S, Lee HC, Chai CY. Hospital volume and inpatient mortality after cancer-related gastrointestinal resections: the experience of an Asian country. *Ann Surg Oncol* 2006;13(9):1182-8.
- Neoptolemos JP, Russel RC, Bramhall S, Theis B. Low mortality following resection for pancreatic and periampullary tumours in 1026 patients: UK survey of specialist pancreatic units. UK Pancreatic Cancer Group. *Br J Surg* 1997;84(10):1370-6.
- Nordback L, Parviainen M, Raty S, Kuivanen H, Sand J. Resection of the head of the pancreas in Finland: effects of hospital and surgeon on short-term and long-term results. *Scand J Gastroenterol* 2002;37(12):1454-60.
- Rosemurgy AS, Bloomston M, Serafini FM, Coon B, Murr MM, Carey LC. Frequency with which surgeons undertake pancreaticoduodenectomy determines length of stay, hospital charges, and in-hospital mortality. *J Gastrointest Surg* 2001;5(1):21-6.
- Simunovic M, To T, Langer B. Influence of hospital volume on mortality following major cancer surgery. *JAMA* 1999;281(15):1374-5; author reply 1375.
- Simunovic M, To T, Theriault M, Langer B. Relation between hospital surgical volume and outcome for pancreatic resection for neoplasm in a publicly funded health care system. *CMAJ* 1999;160(5):643-8.
- Sosa JA, Bowman HM, Gordon TA et al. Importance of hospital volume in the overall management of pancreatic cancer. *Ann Surg* 1998;228(3):429-38.
- Teh SH, Diggs BS, Deveney CW, Sheppard BC. Patient and hospital characteristics on the variance of perioperative outcomes for pancreatic resection in the United States: a plea for outcome-based and not volume-based referral guidelines. *Arch Surg* 2009;144(8):713-21.
- Northern and Yorkshire Cancer Registry Information Service. *Cancer treatment policies and their effects on survival: pancreas*. University of Leeds (UK), Northern and Yorkshire Cancer Registry Information Service, 2000.
- Urbach DR, Austin PC. Conventional models overestimate the statistical significance of volume-outcome associations, compared with multilevel models. *J Clin Epidemiol* 2005;58(4):391-400.
- Urbach DR, Baxter NN. Does it matter what a hospital is "high volume" for? Specificity of hospital volume-outcome associations for surgical procedures: analysis of administrative data. *Qual Saf Health Care* 2004;13(5):379-83.
- Urbach DR, Bell CM, Austin PC. Differences in operative mortality between high- and low-volume hospitals in Ontario for 5 major surgical procedures: estimating the number of lives potentially saved through regionalization. *CMAJ* 2003;168(11):1409-14.
- van Heek NT, Kuhlmann KF, Scholten RJ et al. Hospital volume and mortality after pancreatic resection: a systematic review and an evaluation of intervention in The Netherlands. *Ann Surg* 2005;242(6):781-90.
- van Oost FJ, Luiten EJ, van de Poll-Franse LV, Coebergh JW, van den Eijnden-van Raaij AJ. Outcome of surgical treatment of pancreatic, peri-ampullary and ampullary cancer diagnosed in the south of The Netherlands: a cancer registry based study. *Eur J Surg Oncol* 2006;32(5):548-52.
- Wade TP, Halaby IA, Stapleton DR, Virgo KS, Johnson FE. Population-based analysis of treatment of pancreatic cancer and Whipple resection: Department of Defense hospitals, 1989-1994. *Surgery* 1996;120(4):680-5; discussion 686-7.
- Ward MM, Jaana M, Wakefield DS et al. What would be the effect of referral to high-volume hospitals in a largely rural state? *J Rural Health* 2004;20(4):344-54.

## CHIRURGIA DEL CANCRO AL POLMONE SURGERY FOR LUNG CANCER

**Revisioni (4):** Killeen 2005, Gandjour 2003, Pla 2003, Halm 2002,  
**Totale studi inclusi (n.):** 10

**Anni di pubblicazione degli studi inclusi (range):** 1992-2003

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Bach PB, Cramer LD, Schrag D, Downey RJ, Gelfand SE, Begg CB. The influence of hospital volume on survival after resection for lung cancer. *N Eng J Med* 2001;345(3):181-8.
- Begg CB, Cramer LD, Hoskins WJ, Brennan MF. Impact of hospital volume on operative mortality for major cancer surgery. *JAMA* 1998;280(20):1747-51.
- Birkmeyer JD, Siewers AE, Finlayson EV et al. Hospital volume and surgical mortality in the United States. *N Engl J Med* 2002;346(15):1128-37.
- Birkmeyer JD, Stukel TA, Siewers AE, Goodney PP, Wennberg DE, Lucas FL. Surgeon volume and operative mortality in the United States. *N Engl J Med* 2003;349(22):2117-27.
- Finlayson EV, Goodney PP, Birkmeyer JD. Hospital volume and operative mortality in cancer surgery: a national study. *Arch Surg* 2003;138(7):721-5; discussion 726.
- Hannan EL, Radzyner M, Rubin D, Dougherty J, Brennan MF. The influence of hospital and surgeon volume on in-hospital mortality for colectomy, gastrectomy, and lung lobectomy in patients with cancer. *Surgery* 2002;131(1):6-15.



- Khuri SF, Daley J, Henderson W et al. Relation of surgical volume to outcome in eight common operations: results from the VA National Surgical Quality Improvement Program. *Ann Surg* 1999; 230(3):414-29; discussion 429-32.
- Romano PS, Mark DH. Patient and hospital characteristics related to in-hospital mortality after lung cancer resection. *Chest* 1992; 101(5):1332-7.
- Silvestri GA, Handy J, Lackland D, Corley E, Reed CE. Specialists achieve better outcomes than generalists for lung cancer surgery. *Chest* 1998;114(3):675-80.
- Urbach DR, Bell CM, Austin PC. Differences in operative mortality between high- and low-volume hospitals in Ontario for 5 major surgical procedures: estimating the number of lives potentially saved through regionalization. *CMAJ* 2003;168(11):1409-14.

### CHIRURGIA DEL CANCRO ALLA PROSTATA SURGERY FOR PROSTATE CANCER

**Revisioni (10):** Wilson 2010, Barocas 2010, Mayer 2008, Wilt 2008, Killeen 2005, Nuttal 2004, Gandjour 2003, Pla 2003, Halm 2002, Dudley 2000,

**Totale studi inclusi (n.):** 32

**Anni di pubblicazione degli studi inclusi (range):** 1985-2009

#### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Alibhai SM, Leach M, Tomlinson G. Impact of hospital and surgeon volume on mortality and complications after prostatectomy. *J Urol* 2008;180(1):155-62; discussion 162-3.
- Begg CB, Riedel ER, Bach PB et al. Variations in morbidity after radical prostatectomy. *N Engl J Med* 2002;346(15):1138-44.
- Bianco FJ Jr, Riedel ER, Begg CB, Kattan MW, Scardino PT. Variations among high volume surgeons in the rate of complications after radical prostatectomy: further evidence that technique matters. *J Urol* 2005;173(6):2099-103.
- Briganti A, Capitanio U, Chun FK et al. Impact of surgical volume on the rate of lymph node metastases in patients undergoing radical prostatectomy and extended pelvic lymph node dissection for clinically localized prostate cancer. *Eur Urol* 2008;54(4):794-802.
- Chun FK, Briganti A, Antebi E et al. Surgical volume is related to the rate of positive surgical margins at radical prostatectomy in European patients. *BJU Int* 2006;98(6):1204-9.
- Dash A, Dunn RL, Resh J, Wei JT, Montie JE, Sanda MG. Patient, surgeon, and treatment characteristics associated with homologous blood transfusion requirement during radical retropubic prostatectomy: multivariate nomogram to assist patient counseling. *Urology* 2004;64(1):117-22.
- Eastham JA, Kattan MW, Riedel E et al. Variations among individual surgeons in the rate of positive surgical margins in radical prostatectomy specimens. *J Urol* 2003;170(6 Pt 1):2292-5.
- Ellison LM, Heaney JA, Birkmeyer JD. The effect of hospital volume on mortality and resource use after radical prostatectomy. *J Urol* 2000;163(3):867-9.
- Ellison LM, Trock BJ, Poe NR, Partin AW. The effect of hospital volume on cancer control after radical prostatectomy. *J Urol* 2005;173(6):2094-8.
- Gaylis FD, Friedel WE, Armas OA. Radical retropubic prostatectomy outcomes at a community hospital. *J Urol* 1998;159(1):167-71.
- Gheiler EL, Lovisolio JA, Tiguert R et al. Results of a clinical care pathway for radical prostatectomy patients in an open hospital – multiphysician system. *Eur Urol* 1999;35(3):210-6.
- Gooden KM, Howard DL, Carpenter WR et al. The effect of hospital and surgeon volume on racial differences in recurrence-free survival after radical prostatectomy. *Med Care* 2008;46(11):1170-6.
- Hernandez DJ, Epstein JI, Trock BJ, Tsuzuki T, Carter HB, Walsh PC. Radical retropubic prostatectomy. How often do experienced surgeons have positive surgical margins when there is extraprostatic extension in the region of the neurovascular bundle? *J Urol* 2005;173(2):446-9.
- Hollenbeck BK, Dunn RL, Miller DC, Daignault S, Taub DA, Wei JT. Volume-based referral for cancer surgery: informing the debate. *J Clin Oncol* 2007;25(1):91-6.
- Hu JC, Gold KF, Pashos CL, Mehta SS, Litwin MS. Role of surgeon volume in radical prostatectomy outcomes. *J Clin Oncol* 2003; 21(3):401-5.
- Hughes RG, Hunt SS, Luft HS. Effects of surgeon volume and hospital volume on quality of care in hospitals. *Med Care* 1987; 25(6):489-503.
- Imperato PJ, Waisman J, Wallen M et al. The use of quality indicators for assessing radical prostatectomy specimens. *Am J Med Qual* 2000;15(5):212-20.
- Judge A, Evans S, Gunnell DJ, Albertsen PC, Verne J, Martin R. Patient outcomes and length of hospital stay after radical prostatectomy for prostate cancer: analysis of hospital episodes statistics for England. *BJU Int* 2007;100(5):1040-9.
- Karakiewicz PI, Bazinet M, Aprikian AG, Tanguay S, Elhilali MM. Thirty-day mortality rates and cumulative survival after radical retropubic prostatectomy. *Urology* 1998;52(6):1041-6.
- Konety BR, Allareddy V, Modak S, Smith B. Mortality after major surgery for urologic cancers in specialized urology hospitals: are they any better? *J Clin Oncol* 2006;24(13):2006-12.
- Ku TS, Kane CJ, Sen S, Henderson WG, Dudley RA, Cason BA. Effects of hospital procedure volume and resident training on clinical outcomes and resource use in radical retropubic prostatectomy surgery in the Department of Veterans Affairs. *J Urol* 2008;179(1): 272-8; discussion 278-9.
- Leibman BD, Dilliogluligil O, Abbas F, Tanli S, Kattan MW, Scardino PT. Impact of a clinical pathway for radical retropubic prostatectomy. *Urology* 1998;52(1):94-9.
- Litwiller SE, Djavan B, Klopukh BV, Richier JC, Roehrborn CG. Radical retropubic prostatectomy for localized carcinoma of the prostate in a large metropolitan hospital: changing trends over a 10-year period (1984-1994). Dallas Outcomes Research Group for Urological Disorders. *Urology* 1995;45(5):813-22.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.
- Mitchell RE, Lee BT, Cookson MS et al. Immediate surgical outcomes for radical prostatectomy in the University Health System Consortium Clinical Data Base: the impact of hospital case volume, hospital size and geographical region on 48,000 patients. *BJU Int* 2009;104(10):1442-5.
- Riley G, Lubitz J. Outcomes of surgery among the Medicare aged: surgical volume and mortality. *Health Care Financ Rev* 1985; 7(1):37-47.
- Siu W, Daignault S, Miller DC et al. Understanding differences between high and low volume hospitals for radical prostatectomy. *Urol Oncol* 2008;26(3):260-5.
- Thorpe AC, Cleary R, Coles J, Vernon S, Reynolds J, Neal DE. Deaths and complications following prostatectomy in 1400 men in the northern region of England. Northern Regional Prostate Audit Group. *Br J Urol* 1994;74(5):559-65.
- Vickers AJ, Bianco FJ, Serio AM et al. The surgical learning curve for prostate cancer control after radical prostatectomy. *J Natl Cancer Inst* 2007;99(15):1171-7.
- Wennberg JE, Roos N, Sola L, Schori A, Jaffe R. Use of claims data systems to evaluate health care outcomes. Mortality and reoperation following prostatectomy. *JAMA* 1987;257(7):933-6.
- Yao SL, Lu-Yao G. Population-based study of relationships between hospital volume of prostatectomies, patient outcome, and length of hospital stay. *J Natl Cancer Inst* 1999;91(22):1950-6.



- Yuan Z, Cooper GS, Einstadter D, Cebul RD, Rimm AA. The association between hospital type and mortality and length of stay: a study of 16.9 million hospitalized Medicare beneficiaries. *Med Care* 2000;38(2):231-45.

## CHIRURGIA DEL CANCRO AL RENE SURGERY FOR KIDNEY CANCER

**Revisioni (2):** Killeen 2005, Nuttall 2004

**Totale studi inclusi (n.):** 4

**Anni di pubblicazione degli studi inclusi (range):** 1986-2003

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Birkmeyer JD, Siewers AE, Finlayson EV et al. Hospital volume and surgical mortality in the United States. *N Engl J Med* 2002;346(15):1128-37.
- Finlayson EV, Goodney PP, Birkmeyer JD. Hospital volume and operative mortality in cancer surgery: a national study. *Arch Surg* 2003;138(7):721-5; discussion 726.
- Goodney PP, Stukel TA, Lucas FL, Finlayson EV, Birkmeyer JD. Hospital volume, length of stay, and readmission rates in high-risk surgery. *Ann Surg* 2003;238(2):161-7.
- Sloan FA, Perrin JM, Valvona J. In-hospital mortality of surgical patients: is there an empiric basis for standard setting? *Surgery* 1986;99(4):446-54.

## CHIRURGIA DEL CANCRO AL RETTO SURGERY FOR RECTAL CANCER

**Revisioni (12):** Archampong 2012, Archampong 2010, Nugent 2010, VanGijn 2010, Gruen 2009, Salz 2008, Iversen 2006, Killen 2005, Gandjour 2003, Pla 2003, Halm 2002, Hodgson 2000

**Totale studi inclusi (n.):** 40

**Anni di pubblicazione degli studi inclusi (range):** 1995-2010

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Beart RW, Steele GD Jr, Menck HR, Chmiel JS, Ocwieja KE, Winchester DP. Management and survival of patients with adenocarcinoma of the colon and rectum: a national survey of the Commission on Cancer. *J Am Coll Surg* 1995;181(3):225-36.
- Bilimoria KY, Bentrem DJ, Feinglass JM et al. Directing surgical quality improvement initiatives: comparison of perioperative mortality and long-term survival for cancer surgery. *J Clin Oncol* 2008;26(28):4626-33.
- Borowski DW, Bradburn DM, Mills SJ; Northern Region Colorectal Cancer Audit Group (NORCCAG). Volume-outcome analysis of colorectal cancer-related outcomes. *Br J Surg* 2010;97(9):1416-30.
- Borowski DW, Kelly SB, Bradburn DM, Wilson RG, Gunn A, Ratcliffe AA; Northern Region Colorectal Cancer Audit Group (NORCCAG). Impact of surgeon volume and specialization on short-term outcomes in colorectal cancer surgery. *Br J Surg* 2007;94(7):880-9.
- Carter DC. Lothian and Borders large bowel cancer project: immediate outcome after surgery. The consultant surgeons and pathologists of the Lothian and Borders Health Boards. *Br J Surg* 1995;82(7):888-90.
- Debes AJ, Storkson RH, Jacobsen MB. Curative rectal cancer surgery in a low-volume hospital: a quality assessment. *Eur J Surg Oncol* 2008;34(4):382-9.
- Elferink MA, Krijnen P, Wouters MW et al. Variation in treatment and outcome of patients with rectal cancer by region, hospital type and volume in the Netherlands. *Eur J Surg Oncol* 2010;36 Suppl 1:S74-82.
- Engel J, Kerr J, Eckel R et al. Influence of hospital volume on local recurrence and survival in a population sample of rectal cancer pa-

tients. *Eur J Surg Oncol* 2005;31(5):512-20.

- Gordon TA, Bowman HM, Bass EB et al. Complex gastrointestinal surgery: impact of provider experience on clinical and economic outcomes. *J Am Coll Surg* 1999;189(1):46-56.
- Grabham JA, Coleman MG, Moss S, Thompson MR, Lane RHS. Wessex colorectal cancer audit: anastomotic leakage following elective anterior resection. *Br J Surg* 1996;83 Suppl 1:22-3.
- Hannan EL, Radzyner M, Rubin D, Dougherty J, Brennan MF. Influence of hospital and surgeon volume on in-hospital mortality for colectomy, gastrectomy, and lung lobectomy in patients with cancer. *Surgery* 2002;131(1):6-15.
- Harling H, Bulow S, Moller LN, Jorgensen T; Danish Colorectal Cancer Group. Hospital volume and outcome of rectal cancer surgery in Denmark 1994-99. *Colorectal Dis* 2005;7(1):90-5.
- Harmon JW, Tang DG, Gordon TA et al. Hospital volume can serve as a surrogate for surgeon volume for achieving excellent outcomes in colorectal resection. *Ann Surg* 1999;230(3):404-11; discussion 411-3.
- Hermanek P, Mansmann U, Staimmer DS, Riedl S, Hermanek P. The German experience: the surgeon as a prognostic factor in colon and rectal cancer surgery. *Surg Oncol Clin N Am* 2000;9(1):33-49, vi.
- Ho V, Heslin MJ, Yun H, Howard L. Trends in hospital and surgeon volume and operative mortality for cancer surgery. *Ann Surg Oncol* 2006;13(6):851-8.
- Hodgson DC, Fuchs CS, Ayanian JZ. Impact of patient and provider characteristics on the treatment and outcomes of colorectal cancer. *J Natl Cancer Inst* 2001;93(7):501-15.
- Hodgson DC, Zhang W, Zaslavsky AM, Fuchs CS, Wright WE, Ayanian JZ. Relation of hospital volume to colostomy rates and survival for patients with rectal cancer. *J Natl Cancer Inst* 2003;95(10):708-16.
- Holm T, Johansson H, Cedermark B, Ekelund G, Rutqvist LE. Influence of hospital- and surgeon-related factors on outcome after treatment of rectal cancer with or without preoperative radiotherapy. *Br J Surg* 1997;84(5):657-63.
- Kee F, Wilson RH, Harper C et al. Influence of hospital and clinician workload on survival from colorectal cancer: cohort study. *BMJ* 1999;318(7195):1381-5.
- Kressner M, Bohe M, Cedermark B et al. The impact of hospital volume on surgical outcome in patients with rectal cancer. *Dis Colon Rectum* 2009;52(9):1542-9.
- Manchon-Walsh P, Borrás JM, Espinas JA, Aliste L; Catalanian Rectal Cancer Group. Variability in the quality of rectal cancer care in public hospitals in Catalonia (Spain): clinical audit as a basis for action. *Eur J Surg Oncol* 2011;37(4):325-33.
- Martling A, Cedermark B, Johansson H, Rutqvist LE, Holm T. The surgeon as a prognostic factor after the introduction of total mesorectal excision in the treatment of rectal cancer. *Br J Surg* 2002;89(8):1008-13.
- Marusch F, Koch A, Schmidt U, Pross M, Gastinger I, Lippert H. Hospital caseload and the results achieved in patients with rectal cancer. *Br J Surg* 2001;88(10):1397-402.
- McArdle C S, Hole DJ. Influence of volume and specialization on survival following surgery for colorectal cancer. *Br J Surg* 2004;91(5):610-7.
- McGrath DR, Leong DC, Gibberd R, Armstrong B, Spigelman AD. Surgeon and hospital volume and the management of colorectal cancer patients in Australia. *ANZ J Surg* 2005;75(10):901-10.
- Meyerhardt JA, Tepper JE, Niedzwiecki D et al. Impact of hospital procedure volume on surgical operation and long-term outcomes in high-risk curatively resected rectal cancer: findings from the Intergroup 0114 Study. *J Clin Oncol* 2004;22(1):166-74.
- Parry JM, Collins S, Mathers J, Scott NA, Woodman CB. Influence of volume of work on the outcome of treatment for patients with colorectal cancer. *Br J Surg* 1999;86(4):475-81.

- Penninckx F. Surgeon-related aspects of the treatment and outcome after radical resection for rectal cancer. *Acta Gastroenterol Belg* 2001;64(3):258-62.
- Porter GA, Soskolne CL, Yakimets WW, Newman SC. Surgeon-related factors and outcome in rectal cancer. *Ann Surg* 1998;227(2):157-67.
- Ptok H, Marusch F, Kuhn R, Gastinger I, Lippert H. Influence of hospital volume on the frequency of abdominoperineal resection and long-term oncological outcomes in low rectal cancer. *Eur J Surg Oncol* 2007;33(7):854-61.
- Purves H, Pietrobon R, Hervey S, Guller U, Miller W, Ludwig K. Relationship between surgeon caseload and sphincter preservation in patients with rectal cancer. *Dis Colon Rectum* 2005;48(2):195-202; discussion 202-4.
- Rabeneck L, Davila JA, Thompson M, El-Serag HB. Surgical volume and long-term survival following surgery for colorectal cancer in the Veterans Affairs Health-Care System. *Am J Gastroenterol* 2004;99(4):668-75.
- Rogers SO Jr, Wolf RE, Zaslavsky AM, Wright WE, Ayanian JZ. Relation of surgeon and hospital volume to processes and outcomes of colorectal cancer surgery. *Ann Surg* 2006;244(6):1003-11.
- Schrag D, Cramer LD, Bach PB, Cohen AM, Warren JL, Begg CB. Influence of hospital procedure volume on outcomes following surgery for colon cancer. *JAMA* 2000;284(23):3028-35.
- Schrag D, Panageas KS, Riedel E, Cramer LD, Guillem JG, Bach PB, Begg CB. Hospital and surgeon procedure volume as predictors of outcome following rectal cancer resection. *Ann Surg* 2002;236(5):583-92.
- Simons AJ, Ker R, Groshen S et al. Variations in treatment of rectal cancer: the influence of hospital type and caseload. *Dis Colon Rectum* 1997;40(6):641-6.
- Simunovic M, To T, Baxter N et al. Hospital procedure volume and teaching status do not influence treatment and outcome measures of rectal cancer surgery in a large general population. *J Gastrointest Surg* 2000;4(3):324-30.
- Stocchi L, Nelson H, Sargent DJ et al; North Central Cancer Treatment Group. Impact of surgical and pathologic variables in rectal cancer: a United States community and cooperative group report. *J Clin Oncol* 2001;19(18):3895-902.
- Wibe A, Eriksen M, Syse A et al. Effect of hospital caseload on long-term outcome after standardization of rectal cancer surgery at a national level. *Br J Surg* 2005;92(2):217-24.
- Yasunaga H, Matsuyama Y, Ohe K; Japan Surgical Society. Volume-outcome relationship in rectal cancer surgery: a new perspective. *Surg Today* 2009;39(8):663-8.
- Birkmeyer JD, Sun Y, Goldfaden A, Birkmeyer NJ, Stukel TA. Volume and process of care in high-risk cancer surgery. *Cancer* 2006;106(11):2476-81.
- Birkmeyer JD, Sun Y, Wong SL, Stukel TA. Hospital volume and late survival after cancer surgery. *Ann Surg* 2007;245(5):777-83.
- Bottcher K, Siewert JR, Roder JD, Busch R, Hermanek P, Meyer HJ. Risk of surgical therapy of stomach cancer in Germany. Results of the German 1992 Stomach Cancer Study. German Stomach Cancer Study group ('92). *Chirurg* 1994;65(4):298-306.
- Callahan MA, Christos PJ, Gold HT, Mushlin AI, Daly JM. Influence of surgical subspecialty training on in-hospital mortality for gastrectomy and colectomy patients. *Ann Surg* 2003;238(4):629-36; discussion 636-9.
- Damhuis RA, Meurs CJ, Dijkhuis CM, Stassen LP, Wiggers T. Hospital volume and post-operative mortality after resection for gastric cancer. *Eur J Surg Oncol* 2002;28(4):401-5.
- de Gara CJ, Hanson J, Hamilton S. A population-based study of tumor-node relationship, resection margins, and surgeon volume on gastric cancer survival. *Am J Surg* 2003;186(1):23-7.
- Enzinger PC, Benedetti JK, Meyerhardt JA et al. Impact of hospital volume on recurrence and survival after surgery for gastric cancer. *Ann Surg* 2007;245(3):426-34.
- Finlayson EV, Goodney PP, Birkmeyer JD. Hospital volume and operative mortality in cancer surgery: a national study. *Arch Surg* 2003;138(7):721-5; discussion 726.
- Fujita T, Yamazaki Y. Influence of surgeon's volume on early outcome after total gastrectomy. *Eur J Surg* 2002;168(10):535-8.
- Gillison EW, Powell J, McConkey CC, Spychal RT. Surgical workload and outcome after resection for carcinoma of the oesophagus and cardia. *Br J Surg* 2002;89(3):344-8.
- Gordon TA, Bowman HM, Bass EB et al. Complex gastrointestinal surgery: impact of provider experience on clinical and economic outcomes. *J Am Coll Surg* 1999;189(1):46-56.
- Hannan EL, O'Donnell JF, Kilburn H Jr, Bernard HR, Yazici A. Investigation of the relationship between volume and mortality for surgical procedures performed in New York State hospitals. *JAMA* 1989;262(4):503-10.
- Hannan EL, Radzyner M, Rubin D, Dougherty J, Brennan MF. The influence of hospital and surgeon volume on in-hospital mortality for colectomy, gastrectomy, and lung lobectomy in patients with cancer. *Surgery* 2002;131(1):6-15.
- Hansson LE, Ekstrom AM, Bergstrom R, Nyren O. Surgery for stomach cancer in a defined Swedish population: current practices and operative results. Swedish Gastric Cancer Study Group. *Eur J Surg* 2000;166(10):787-95.
- Hughes RG, Hunt SS, Luft HS. Effects of surgeon volume and hospital volume on quality of care in hospitals. *Med Care* 1987;25(6):489-503.
- Jensen LS, Bendixen A, Kehlet H. Organisation and early outcomes of major upper gastrointestinal cancer surgery in Denmark 1996-2004. *Scand J Surg* 2007;96(1):41-5.
- Kelly JV, Hellinger FJ. Physician and hospital factors associated with mortality of surgical patients. *Med Care* 1986;24(9):785-800.
- Lin HC, Xirasagar S, Lee HC, Chai CY. Hospital volume and inpatient mortality after cancer-related gastrointestinal resections: the experience of an Asian country. *Ann Surg Oncol* 2006;13(9):1182-8.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.
- Maerki SC, Luft HS, Hunt SS. Selecting categories of patients for regionalization. Implications of the relationship between volume and outcome. *Med Care* 1986;24(2):148-58.
- McCulloch P, Ward J, Tekkis PP; ASCOT group of surgeons; British Oesophago-Gastric Cancer Group. Mortality and morbidity in gastro-oesophageal cancer surgery: initial results of ASCOT multicentre prospective cohort study. *BMJ* 2003;327(7425):1192-7.

## CHIRURGIA DEL CANCRO ALLO STOMACO SURGERY FOR STOMACH CANCER

**Revisioni (5):** Gruen 2009, Killeen 2005, Meyer 2005, Pla 2003, Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 30

**Anni di pubblicazione degli studi inclusi (range):** 1986-2007

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Bachmann MO, Alderson D, Edwards D et al. Cohort study in South and West England of the influence of specialization on the management and outcome of patients with oesophageal and gastric cancers. *Br J Surg* 2002;89(7):914-22.
- Birkmeyer JD, Siewers AE, Finlayson EV et al. Hospital volume and surgical mortality in the United States. *N Eng J Med* 2002;346(15):1128-37.
- Birkmeyer JD, Stukel TA, Siewers AE, Goodney PP, Wennberg DE, Lucas FL. Surgeon volume and operative mortality in the United States. *N Eng J Med* 2003;349(22):2117-27.

- Nomura E, Tsukuma H, Ajiki W, Oshima A. Population-based study of relationship between hospital surgical volume and 5-year survival of stomach cancer patients in Osaka, Japan. *Cancer Sci* 2003;94(11):998-1002.
- Reid-Lombardo KM, Gay G, Patel-Parekh L, Ajani JA, Donohue JH; Gastric Patient Care Evaluation Group from the Commission on Cancer. Treatment of gastric adenocarcinoma may differ among hospital types in the United States, a report from the National Cancer Data Base. *J Gastrointest Surg* 2007;11(4):410-20.
- Smith DL, Elting LS, Learn PA, Raut CP, Mansfield PF. Factors influencing the volume-outcome relationship in gastrectomies: a population-based study. *Ann Surg Oncol* 2007;14(6):1846-52.
- Smith JK, McPhee JT, Hill JS et al. National outcomes after gastric resection for neoplasm. *Arch Surg* 2007;142(4):387-93.
- Thompson AM, Rapson T, Gilbert FJ, Park KG.; Scottish Audit of Gastric Oesophageal Cancer. Hospital volume does not influence long-term survival of patients undergoing surgery for oesophageal or gastric cancer. *Br J Surg* 2007;94(5):578-84.
- Wenner J, Zilling T, Bladstrom A, Alvegard TA. The influence of surgical volume on hospital mortality and 5-year survival for carcinoma of the oesophagus and gastric cardia. *Anticancer Res* 2005;25(1B):419-24.

### CHIRURGIA DEL CANCRO AL TESTICOLO SURGERY FOR TESTIS CANCER

**Revisione (1):** Dudley 2000

**Totale studi inclusi (n.):** 1

**Anni di pubblicazione degli studi inclusi (range):** 1991

**Riferimenti bibliografici degli studi inclusi nelle revisioni**

- Aass N, Klepp O, Cavallin-Stahl E et al. Prognostic factors in unselected patients with nonseminomatous metastatic testicular cancer: a multicenter experience. *J Clin Oncol* 1991;9(5):818-26.

### CHIRURGIA DEL CANCRO ALLA VESCICA SURGERY FOR BLADDER CANCER

**Revisioni (4):** Goossens-Laan 2011, Mayer 2008, Killeen 2005, Nuttall 2004

**Totale studi inclusi (n.):** 17

**Anni di pubblicazione degli studi inclusi (range):** 1998-2010

**Riferimenti bibliografici degli studi inclusi nelle revisioni**

- Begg CB, Cramer LD, Hoskins WJ, Brennan MF. Impact of hospital volume on operative mortality for major cancer surgery. *JAMA* 1998;280(20):1747-51.
- Birkmeyer JD, Siewers AE, Finlayson EV et al. Hospital volume and surgical mortality in the United States. *N Engl J Med* 2002;346(15):1128-37.
- Birkmeyer JD, Stukel TA, Siewers AE, Goodney PP, Wennberg DE, Lucas FL. Surgeon volume and operative mortality in the United States. *N Engl J Med* 2003;349(22):2117-27.
- Birkmeyer JD, Sun Y, Wong SL, Stukel TA. Hospital volume and late survival after cancer surgery. *Ann Surg* 2007;245(5):777-83.
- Elting LS, Pettaway C, Bekele BN et al. Correlation between annual volume of cystectomy, professional staffing, and outcomes: a statewide, population-based study. *Cancer* 2005;104(5):975-84.
- Fairey AS, Jacobsen NE, Chetner MP et al. Associations between comorbidity, and overall survival and bladder cancer specific survival after radical cystectomy: results from the Alberta Urology Institute Radical Cystectomy database. *J Urol* 2009;182(1):85-92; discussion 93.
- Finlayson EV, Goodney PP, Birkmeyer JD. Hospital volume and operative mortality in cancer surgery: a national study. *Arch Surg* 2003;138(7):721-5; discussion 726.

- Gilbert SM, Dunn RL, Miller DC, Daignault S, Ye Z, Hollenbeck BK. Mortality after urologic cancer surgery: impact of non-index case volume. *Urology* 2008;71(5):906-10.
- Goodney PP, Stukel TA, Lucas FL, Finlayson EV, Birkmeyer JD. Hospital volume, length of stay, and readmission rates in high-risk surgery. *Ann Surg* 2003;238(2):161-7.
- Goossens-Laan CA, Visser O, Wouters MW et al. Variations in treatment policies and outcome for bladder cancer in the Netherlands. *Eur J Surg Oncol* 2010;36 Suppl 1:S100-7.
- Gore JL, Yu HY, Setodji C, Hanley JM, Litwin MS, Saigal CS; Urologic diseases in America Project. Urinary diversion and morbidity after radical cystectomy for bladder cancer. *Cancer* 2010;116(2):331-9.
- Hollenbeck BK, Daignault S, Dunn RL, Gilbert S, Weizer AZ, Miller DC. Getting under the hood of the volume-outcome relationship for radical cystectomy. *J Urol* 2007;177(6):2095-9; discussion 2099.
- Hollenbeck BK, Wei Y, Birkmeyer JD. Volume, process of care, and operative mortality for cystectomy for bladder cancer. *Urology* 2007;69(5):871-5.
- Konety BR, Allareddy V, Herr H. Complications after radical cystectomy: analysis of population-based data. *Urology* 2006;68(1):58-64.
- Konety BR, Dhawan V, Allareddy V, Joslyn SA. Impact of hospital and surgeon volume on in-hospital mortality from radical cystectomy: data from the health care utilization project. *J Urol* 2005;173(5):1695-700.
- Mayer EK, Bottle A, Darzi AW, Athanasiou T, Vale JA. The volume-mortality relation for radical cystectomy in England: retrospective analysis of hospital episode statistics. *BMJ* 2010;340:c1128.
- McCabe JE, Jibawi A, Javle P. Defining the minimum hospital case-load to achieve optimum outcomes in radical cystectomy. *BJU Int* 2005;96(6):806-10.

### CHIRURGIA CARDIACA PEDIATRICA PAEDIATRIC CARDIAC SURGERY

**Revisioni (3):** Gandjour 2003, Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 3

**Anni di pubblicazione degli studi inclusi (range):** 1995-1999

**Riferimenti bibliografici degli studi inclusi nelle revisioni**

- Hannan EL, Racz M, Kavey RE, Quaegebeur JM, Williams R. Pediatric cardiac surgery: the effect of hospital and surgeon volume on in-hospital mortality. *Pediatrics* 1998;101(6):963-9.
- Jenkins KJ, Newburger JW, Lock JE, Davis RB, Coffman GA, Iezzoni LI. In-hospital mortality for surgical repair of congenital defects: preliminary observations of variations by hospital caseload. *Pediatrics* 1995;95(3):323-30.
- Sollano JA, Gelijns AC, Moskowitz AJ et al. Volume-outcome relationship in cardiovascular operations: New York State, 1990-1995. *J Thorac Cardiovasc Surg* 1999;117(3):419-28; discussion 428-30.

### COLECISTECTOMIA CHOLECYSTECTOMY

**Revisioni (2):** Gandjour 2003, Dudley 2000

**Totale studi inclusi (n.):** 6

**Anni di pubblicazione degli studi inclusi (range):** 1986-1999

**Riferimenti bibliografici degli studi inclusi nelle revisioni**

- Khuri SF, Daley J, Henderson W et al. Relation of surgical volume to outcome in eight common operations: results from the VA National Surgical Quality Improvement Program. *Ann Surg* 1999;230:414-29; discussion 429-32.
- Wenning M, Hupe K, Scheuer I, Senninger N, Smektala R, Windhorst T. Does quantity mean quality? An analysis of 116,000 patients regarding the connection between the number of cases and the quality of results. *Chirurg* 2000;71(6):717-22.

- Hannan EL, O'Donnell JF, Kilburn H Jr, Bernard HR, Yazici A. Investigation of the relationship between volume and mortality for surgical procedures performed in New York State hospitals. *JAMA* 1989;262(4):503-10.
- Hughes RG, Hunt SS, Luft HS. Effects of surgeon volume and hospital volume on quality of care in hospitals. *Med Care* 1987;25(6):489-503.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.
- Riley G, Lubitz J. Outcomes of surgery among Medicare aged: surgical volume and mortality. *Health Care Financ Rev* 1985;7(1):37-47.

## COLECTOMIA COLECTOMY

**Revisione (1):** Gandjour 2003

**Totale studi inclusi (n.):** 1

**Anni di pubblicazione degli studi inclusi (range):** 1999

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Khuri SF, Daley J, Henderson W et al. Relation of surgical volume to outcome in eight common operations: results from the VA National Surgical Quality Improvement Program. *Ann Surg* 1999; 230(3):414-24; discussion 429-32.

## EMORRAGIA SUBARACNOIDEA SUBARACHNOID HEMORRHAGE

**Revisioni (2):** Vespa 2011, Dudley 2000

**Totale studi inclusi (n.):** 8

**Anni di pubblicazione degli studi inclusi (range):** 1987-2011

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Bardach NS, Zhao S, Gress DR, Lawton MT, Johnston SC. Association between subarachnoid hemorrhage outcomes and number of cases treated at California hospitals. *Stroke* 2002;33(7):1851-6.
- Berman MF, Solomon RA, Mayer SA, Johnston SC, Yung PP. Impact of hospital-related factors on outcome after treatment of cerebral aneurysms. *Stroke* 2003;34(9):2200-7.
- Cowan JA Jr, Dimick JB, Wainess RM, Upchurch GR Jr, Thompson BG. Outcomes after cerebral aneurysm clip occlusion in the United States: the need for evidence-based hospital referral. *J Neurosurg* 2003;99(6):947-52.
- Cross DT 3rd, Tirschwell DL, Clark MA et al. Mortality rates after subarachnoid hemorrhage: variations according to hospital case volume in 18 states. *J Neurosurg* 2003;99(5):810-7.
- Khatri R, Tariq N, Vazquez G, Suri MF, Ezzeddine MA, Qureshi AI. Outcomes after nontraumatic subarachnoid hemorrhage at hospitals offering angioplasty for cerebral vasospasm: a national level analysis in the United States. *Neurocrit Care* 2011;15(1):34-41.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22:157-82.
- Solomon RA, Mayer SA, Tarmey JJ. Relationship between the volume of craniotomies for cerebral aneurysm performed at New York state hospitals and in-hospital mortality. *Stroke* 1996;27(1):13-7.
- Taylor CL, Yuan Z, Selman WR, Ratcheson RA, Rimm AA. Mortality rates, hospital length of stay, and the cost of treating subarachnoid hemorrhage in older patients: institutional and geographical differences. *J Neurosurg* 1997;86(4):583-8.

## ENDOARTERECTOMIA CAROTIDEA CAROTIC ENDARTERECTOMY

**Revisioni (5):** Holt 2007, Killeen 2007, Gandjour 2003, Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 36

**Anni di pubblicazione degli studi inclusi (range):** 1984-2005

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- AbuRahma AF, Boland J, Robinson P. Complications of carotid endarterectomy: the influence of case load. *South Med J* 1988;81(6):711-5.
- Birkmeyer JD, Siewers AE, Finlayson EV, et al. Hospital volume and surgical mortality in the United States. *N Engl J Med* 2002;346(15):1128-37.
- Brook RH, Park RE, Chassin MR, Koseoff J, Keeseey J, Solomon DH. Carotid endarterectomy for elderly patients: predicting complications. *Ann Intern Med* 1990;113(10):747-53.
- Brott T, Thalinger K. The practice of carotid endarterectomy in a large metropolitan area. *Stroke* 1984;15(6):950-5.
- Cebul RD, Snow RJ, Pine R, Hertzner NR, Norris DG. Indications, outcomes, and provider volumes for carotid endarterectomy. *JAMA* 1998;279(16):1282-7.
- Cowan JA Jr, Dimick JB, Thompson BG, Stanley JC, Upchurch GR Jr. Surgeon volume as an indicator of outcomes after carotid endarterectomy: an effect independent of specialty practice and hospital volume. *J Am Coll Surg* 2002;195(6):814-21.
- Dardik A, Bowman HM, Gordon TA, Hsieh G, Perler BA. Impact of race on the outcome of carotid endarterectomy: a population-based analysis of 9,842 recent elective procedures. *Ann Surg* 2000;232(5):704-9.
- Dimick JB, Stanley JC, Axelrod DA et al. Variation in death rate after abdominal aortic aneurysmectomy in the United States: impact of hospital volume, gender, and age. *Ann Surg* 2002;235(4):579-85.
- Dudley RA, Johansen KI, Brand R, Rennie DJ, Milstein A. Selective referral to high-volume hospitals: estimating potentially avoidable deaths. *JAMA* 2000;283(9):1159-66.
- Edwards WH, Morris JA Jr, Jenkins JM, Bass SM, MacKenzie EJ. Evaluating quality, cost-effective health care. Vascular database predicated on hospital discharge abstracts. *Ann Surg* 1991;213(5):433-8; discussion 438-9.
- Feasby Te, Quan H, Ghali Wa. Hospital and surgeon determinants of carotid endarterectomy outcomes. *Arch Neurol* 2002;59(12):1877-81.
- Fisher ES, Malenka DJ, Solomon NA, Bubolz TA, Whaley FS, Wennberg JE. Risk of carotid endarterectomy in the elderly. *Am J Public Health* 1989;79(12):1617-20.
- Hannan EL, Popp AJ, Tranmer B, Fuestel P, Waldman J, Shah D. Relationship between provider volume and mortality for carotid endarterectomies in New York state. *Stroke* 1998;29(11):2292-7.
- Hannan EL, Popp AJ, Feustel P et al. Association of surgical specialty and processes of care with patient outcomes for carotid endarterectomy. *Stroke* 2001;32(12):2890-7.
- Hartun NL, Kongable GL, Baglioni AJ, Meakem TD, Kron IL. Examination of sex as an independent risk factor for adverse events after carotid endarterectomy. *J Vasc Surg* 2005;41(2):223-30.
- Hsia DC, Moscoe LM, Krushat WM. Epidemiology of carotid endarterectomy among Medicare beneficiaries: 1985-1996 update. *Stroke* 1998;29(2):346-50.
- Kantonen I, Lepantalo M, Salenius JP, Matzke S, Luther M, Ylonen K. Mortality in abdominal aortic aneurysm surgery – the effect of hospital volume, patient mix and surgeon's case load. *Eur J Vasc Endovasc Surg* 1997;14(5):375-9.
- Kantonen I, Lepantalo M, Salenius JP, Matzke S, Luther M, Ylonen K. Influence of surgical experience on the results of carotid surgery. The Finnvasc Study Group. *Eur J Vasc Endovasc Surg* 1998;15(2):155-60.



- Karp HR, Flanders WD, Shipp CC, Taylor B, Martin D. Carotid endarterectomy among Medicare beneficiaries: a statewide evaluation of appropriateness and outcome. *Stroke* 1998;29(1):46-52.
- Kempeziński RF, Brott TG, Labutta RJ. The influence of surgical specialty and caseload on the results of carotid endarterectomy. *J Vasc Surg* 1986;3(6):911-6.
- Khuri SF, Daley J, Henderson W et al. Relation of surgical volume to outcome in eight common operations: results from the VA National Surgical Quality Improvement Program. *Ann Surg* 1999; 230(3):414-29.
- Kirshner DL, O'Brien MS, Ricotta JJ. Risk factors in a community experience with carotid endarterectomy. *J Vasc Surg* 1989; 10(2):178-86.
- Kucey DS, Bowyer B, Iron K, Austin P, Anderson G, Tu JV. Determinants of outcome after carotid endarterectomy. *J Vasc Surg* 1998;28(6):1051-8.
- Manheim LM, Sohn MW, Feinglass J, Ujiki M, Parker MA, Pearce WH. Hospital vascular surgery volume and procedure mortality rates in California, 1982-1994. *J Vasc Surg* 1998;28(1):45-56; discussion 56-8.
- Mattos MA, Modi JR, Mansour AM et al. Evolution of carotid endarterectomy in two community hospitals: Springfield revisited – seventeen years and 2243 operations later. *J Vasc Surg* 1995; 21(5):719-26; discussion 726-8.
- Mayo SW, Eldrup-Jorgensen J, Lucas FL, Wennberg DE, Bredenberg CE. Carotid endarterectomy after NASCET and ACAS: a statewide study. North American Symptomatic Carotid Endarterectomy Trial. Asymptomatic Carotid Artery Stenosis Study. *J Vasc Surg* 1998;27(6):1017-22; discussion 1022-3.
- Middleton S, Donnelly N; New South Wales Carotid Endarterectomy Audit Project Working Group. Outcomes of carotid endarterectomy: how does the Australian state of New South Wales compare with international benchmarks? *J Vasc Surg* 2002;36(1):62-9.
- O'Neill L, Lanska DJ, Hartz A. Surgeon characteristics associated with mortality and morbidity following carotid endarterectomy. *Neurology* 2000;55(6):773-81.
- Pearce WH, Parker MA, Feinglass J, Ujiki M, Manheim LM. The importance of surgeon volume and training in outcomes for vascular surgical procedure. *J Vasc Surg* 1999;29(5):768-76; discussion 777-8.
- Peck C, Peck J, Peck A. Comparison of carotid endarterectomy at high- and low-volume hospitals. *Am J Surg* 2001;181(5):450-3.
- Perler BA, Dardik A, Burleyson GP, Gordon TA, Williams GM. Influence of age and hospital volume on the results of carotid endarterectomy: a statewide analysis of 9918 cases. *J Vasc Surg* 1998;27(1):25-31; discussion 31-3.
- Richardson JD, Main KA. Carotid endarterectomy in the elderly population: a statewide experience. *J Vasc Surg* 1989;9(1):65-73.
- Roddy SP, O'Donnell TF Jr, Wilson AL, Estes JM, Mackey WC. The Balanced Budget Act: potential implications for the practice of vascular surgery. *J Vasc Surg* 2000;31(2):227-36.
- Ruby ST, Robinson D, Lynch JT, Mark H. Outcome analysis of carotid endarterectomy in Connecticut: the impact of volume and specialty. *Ann Vasc Surg* 1996;10(1):22-6.
- Segal HE, Rummel L, Wu B. The utility of PRO data on surgical volume: the example of carotid endarterectomy. *QRB Qual Rev Bull* 1993;19(5):152-7.
- Wennberg DE, Lucas FL, Birkmeyer JD, Bredenberg CE, Fisher ES. Variation in carotid endarterectomy mortality in the Medicare population: trial hospitals, volume, and patient characteristics. *JAMA* 1998;279(16):1278-81.

## ERNIA INGUINALE INGUINAL HERNIA

**Revisione (1):** Dudley 2000

**Totale studi inclusi (n.):** 4

**Anni di pubblicazione degli studi inclusi (range):** 1986-1992

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Farley DE, Ozminkowski RJ. Volume-outcome relationships and in-hospital mortality: the effect of changes in volume over time. *Med Care* 1992;30(1):77-94.
- Hughes RG, Hunt SS, Luft HS. Effects of surgeon volume and hospital volume on quality of care in hospitals. *Med Care* 1987;25(6): 489-503.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.
- Maerki SC, Luft HS, Hunt SS. Selecting categories of patients for regionalization. Implications of the relationship between volume and outcome. *Med Care* 1986;24(2):148-58.

## FRATTURA DEL FEMORE HIP FRACTURE

**Revisioni (2):** Gandjour 2003, Halm 2002

**Totale studi inclusi (n.):** 3

**Anni di pubblicazione degli studi inclusi (range):** 1997-2000

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Hamilton BH, Ho V. Does practice make perfect? Examining the relationship between hospital surgical volume and outcomes for hip fracture patients in Quebec. *Med Care* 1998;36(6):892-903.
- Taylor HD, Dennis DA, Crane HS. Relationship between mortality rates and hospital patient volume for Medicare patients undergoing major orthopaedic surgery of the hip, knee, spine, and femur. *J Arthroplasty* 1997;12(3):235-42.
- Wenning M, Hupe K, Scheuer I, Senninger N, Smechtala R, Windhorst T. Does quantity mean quality? An analysis of 116,000 patients regarding the connection between the number of cases and the quality of results. *Chirurg* 2000;71(6):717-22.

## INFARTO DEL MIOCARDIO MYOCARDIAL INFARCTION

**Revisioni (3):** Gandjour 2003, Halm 2002, Dudley 2000

**Totale studi inclusi (n.):** 5

**Anni di pubblicazione degli studi inclusi (range):** 1986-1999

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Casale PN, Jones JL, Wolf FE, Pei Y, Eby LM. Patients treated by cardiologists have a lower in-hospital mortality for acute myocardial infarction. *J Am Coll Cardiol* 1998;32(4):885-9.
- Farley DE, Ozminkowski RJ. Volume-outcome relationships and in-hospital mortality: the effect of changes in volume over time. *Med Care* 1992;30(1):77-94.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.
- Maerki SC, Luft HS, Hunt SS. Selecting categories of patients for regionalization. Implications of the relationship between volume and outcome. *Med Care* 1986;24(2):148-58.
- Thiemann DR, Coresh J, Oetgen WJ, Powe NR. The association between hospital volume and survival after acute myocardial infarction in elderly patients. *N Engl J Med* 1999;340(21):1640-8.

## INSUFFICIENZA RESPIRATORIA RESPIRATORY INSUFFICIENCY

Revisione (1): Dudley 2000

Totale studi inclusi (n.): 2

Anni di pubblicazione degli studi inclusi (range): 1986-1987

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.
- Maerki SC, Luft HS, Hunt SS. Selecting categories of patients for regionalization. Implications of the relationship between volume and outcome. *Med Care* 1986;24(2):148-58.

## ISTERECTOMIA HYSTERECTOMY

Revisione (1): Dudley 2000

Totale studi inclusi (n.): 2

Anni di pubblicazione degli studi inclusi (range): 1987

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Hughes RG, Hunt SS, Luft HS. Effects of surgeon volume and hospital volume on quality of care in hospitals. *Med Care* 1987;25(6):489-503.
- Luft HS, Hunt SS, Maerki SC. The volume-outcome relationship: practice-makes-perfect or selective-referral patterns? *Health Serv Res* 1987;22(2):157-82.

## ONCOLOGIA PEDIATRICA PAEDIATRIC ONCOLOGY

Revisione (1): Dudley 2000

Totale studi inclusi (n.): 1

Anni di pubblicazione degli studi inclusi (range): 1989

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Stiller CA, Draper GJ. Treatment centre size, entry to trials, and survival in acute lymphoblastic leukaemia. *Arch Dis Child* 1989;64(5):657-61.

## RIVASCOLARIZZAZIONE DEGLI ARTI INFERIORI LOWER-LIMB REVASCULARISATION

Revisioni (2): Awopetu 2010, Killeen 2007

Totale studi inclusi (n.): 10

Anni di pubblicazione degli studi inclusi (range): 1984-2005

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Bates EW, Berki SE, Homan RK, Lindenauer SM. The challenge of benchmarking: surgical volume and operative mortality in Veterans Administration Medical Centers. *Best Pract Benchmarking Healthc* 1996;1(1):34-42.
- Birkmeyer JD, Siewers AE, Finlayson EV, Stukel TA, Lucas FL, Batista I et al. Hospital volume and surgical mortality in the United States. *N Engl J Med* 2002; 346:1128-1137.
- Dimick JB, Cowan JA Jr, Henke PK et al. Hospital volume-related differences in aorto-bifemoral bypass operative mortality in the United States. *J Vasc Surg* 2003;37(5):970-5.
- Ebaugh JL, Feinglass J, Pearce WH. The effect of hospital vascular operation capability on outcomes of lower extremity arterial bypass graft procedures. *Surgery* 2001;130(4):561-7; discussion 567-9.

- Feinglass J, Sohn MW, Rodriguez H, Martin GJ, Pearce WH. Perioperative outcomes and amputation-free survival after lower extremity bypass surgery in California hospitals, 1996-1999, with follow-up through 2004. *J Vasc Surg* 2009;50(4):776-83.e1.
- Kantonen I, Lepantalo M, Luther M, Salenius P, Ylonen K. Factors affecting the results of surgery for chronic critical leg ischemia – a nationwide survey. Finnvasc Study Group. *J Vasc Surg* 1998;27(5):940-7.
- Manheim LM, Sohn MW, Feinglass J, Ujiki M, Parker MA, Pearce WH. Hospital vascular surgery volume and procedure mortality rates in California, 1982-1994. *J Vasc Surg* 1998;28(1):45-56; discussion 56-8.
- Michaels JA, Rutter P, Collin J, Legg FM, Galland RB. Relation between rates of leg amputation and distal arterial reconstructive surgery. Oxford Regional Vascular Audit Group. *BMJ* 1994;309(6967):1479-80.
- Pearce WH, Parker MA, Feinglass J, Ujiki M, Manheim LM. The importance of surgeon volume and training in outcomes for vascular surgical procedures. *J Vasc Surg* 1999;29(5):768-76; discussion 777-8.
- Troeng T, Bergqvist D, Janson L. Incidence and causes of adverse outcomes of operation for chronic ischaemia of the leg. *Eur J Surg* 1994;160(1):17-25.

## TERAPIA INTENSIVA NEONATALE NEONATAL INTENSIVE CARE

Revisioni (2): Gandjour 2003, Dudley 2000

Totale studi inclusi (n.): 4

Anni di pubblicazione degli studi inclusi (range): 1979-1996

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Farley DE, Ozminkowski RJ. Volume-outcome relationships and in-hospital mortality: the effect of changes in volume over time. *Med Care* 1992;30(1):77-94.
- LeFevre ML. Physician volume and obstetric outcome. *Med Care* 1992;30(9):866-71.
- Phibbs CS, Bronstein JM, Buxton E, Phibbs RH. The effects of patient volume and level of care at the hospital of birth on neonatal mortality. *JAMA* 1996;276(13):1054-9.
- Williams RL. Measuring the effectiveness of perinatal medical care. *Med Care* 1979;17(2):95-110.

## TRAUMI TRAUMAS

Revisioni (2): Gandjour 2003, Dudley 2000

Totale studi inclusi (n.): 4

Anni di pubblicazione degli studi inclusi (range): 1994-2000

### Riferimenti bibliografici degli studi inclusi nelle revisioni

- Cooper A, Hannan EL, Bessey PQ, Farrell LS, Cayten CG, Mottley L. An examination of the volume-mortality relationship for New York State trauma centers. *J Trauma* 2000;48(1):16-23.
- Kagan RJ, Baker RJ. The impact of the volume of neurotrauma experience on mortality after head injury. *Am Surgery* 1994;60(6):394-400.
- Nicholl J, Turne J, Dixon S. *The cost-effectiveness of the regional trauma system in the North West Midlands*. Sheffield, University of Sheffield, 1995.
- Tepas JJ 3rd, Patel JC, DiScala C, Wears RL, Veldenz HC. Relationship of trauma patient volume to outcome experience: can a relationship be defined? *J Trauma* 1998;44(5):827-30; discussion 830-1.